




THE JACK, LEVELING & STABILIZATION **EXPERTS**



Ultra-Fab



**RVing is meant to be enjoyable
We Keep It That Way**

800-860-7571

sales@ultra-fab.com

ULTRA-FAB.COM



Ultra-Fab Super Grip Chock

SUPERIOR HANDLE DESIGN REDUCES SLIPPAGE WHILE MOUNTING
HEAVY DUTY STEEL CONSTRUCTION
FITS MOST APPLICATIONS
COLLAPSES TO JUST 1.0" AND EXPANDS TO 10.25"
XL COLLAPSES TO 3.5" AND EXPANDS TO 17"

UF# 21-001090 - Single Pack
UF# 21-001091 - Twin Pack
UF# 21-001094 - XL Single Pack
UF# 21-001095 - XL Twin Pack



**E-Z RATCHET
INCLUDED**

**HANDY PADLOCK
DETERS THEFT**

**PIVOTING LOUVERS
INCREASE TIRE GRIP**



ELIMINATES FRONT-TO-BACK ROCKING MOTION

**PADLOCK INCLUDED IS \$10
EXTRA VALUE PER CHOCK**


**ONLY CHOCK WITH HANDLE
LOCKED DOWN AT BOTH
ENDS FOR EASIER SET-UP**

Stabilizers

Ultra Chock + Lock

WORKS BY ANCHORING THE OPPOSING WHEELS OF TANDEM
AXLE TRAILERS AND FIFTH WHEELS
LOCKABLE TO PREVENT THEFT (PADLOCK NOT INCLUDED)
E-Z GRIP HANDLE CREATES BETTER LEVERAGE
HEAVY DUTY STEEL CONSTRUCTION
SUPER GRIP TIRE LOUVERS REDUCE SLIP
EASY TO USE, ONE PIECE STABILIZER CHOCK
COLLAPSES TO JUST 1.5" AND EXPANDS TO 5.25"
XL COLLAPSES TO 4.5" AND EXPANDS TO 10"

UF# 21-001060 - Chock & Lock Single Pack
UF# 21-001070 - Chock & Lock Twin Pack
UF# 21-001080 - Ultra Deluxe Chock & Lock XL



ANCHORS OPPOSING WHEELS OF TANDEM AXLES

Carry-All for Tire Locking Chocks

KEEP DIRT AND GRIME OUT OF STORAGE AREA
PREVENTS CHOCKS FROM DAMAGING OTHER ITEMS
UNIVERSAL STORAGE FOR MOST BRANDS
MADE OF DURABLE OXFORD CLOTH
SAVES WEAR AND TEAR ON CHOCKS
COMPARTMENT FOR RATCHET & PADLOCK
ALSO PERFECT FOR STORING OTHER ITEMS
VELCRO HANDLE WRAP
32" x 6" x 6"




UF# 21-001097



MEASURING FOR SUPER GRIP CHOCKS

A FIND THE CLOSEST POINT BETWEEN YOUR TRAILER'S
TANDEM AXLE TIRES.
B MEASURE VERTICALLY 6 INCHES (SUPER GRIP CHOCK)
OR 11 INCHES (XL SUPER GRIP CHOCK).
C NEXT, MEASURE THE HORIZONTAL DISTANCE FROM
THE TOP OF THE VERTICAL MEASUREMENT. IT MUST BE
AT LEAST 5" FOR SUPER GRIP CHOCKS TO SLIDE
BETWEEN THE TIRES.
D SUPER GRIP CHOCKS COLLAPSE TO 1.25 INCHES AND
SUPER GRIP XL CHOCKS COLLAPSE TO 1.5 INCHES TO
AMPLE FIT MOST TANDEM AXLE CONFIGURATIONS.



THE FASTEST TRIPOD TO SET-UP AND BREAK-DOWN

STEEL & ALUMILITE MODELS

Steel King Pin Tripod

PREVENTS FRAME MOVEMENT IN FRONT OF FIFTH WHEEL

STABILIZES EVEN THE HEAVIEST 5TH WHEEL

STABILIZES FRONT-TO-BACK AND SIDE-TO-SIDE

UNIQUE DESIGN BRINGS THE STABILIZER TO THE KING PIN

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

ADJUSTABLE HITCH CUP FOR FINE TUNE ADJUSTMENT

HEAVY DUTY STEEL CONSTRUCTION

WEIGHS JUST 23 LB

ADJUSTABLE FROM 37" TO 50"

PADLOCK INCLUDED

**SUPPORTS UP
TO 5,000 LB**

UF# 19-950001

8" Tripod Leg Extensions

UF# 19-950002 - Steel King Pin Leg Extensions (set of 3)

UF# 19-950202 - Aluminum King Pin Leg Extensions (set of 3)

ADDS APPROX. 6" TO OVERALL HEIGHT OF TRIPOD

Economy King Pin Tripod

MINIMIZES FRONT-TO-BACK AND SIDE-TO-SIDE
MOTION

5" X 5.5" FOOTPADS TO COMBAT SINKING AND
TILTING

ADJUSTABLE HITCH CUP FOR FINE TUNING

HEAVY DUTY STEEL CONSTRUCTION

PADLOCK INCLUDED

ADJUSTABLE FROM 31" TO 54"

WEIGHS JUST 24 LB

UF# 19-950500

**SUPPORTS UP
TO 5,000 LB**



**COLLAPSIBLE
HANDLES**

Alumilite King Pin Tripod

ROCK SOLID, STABILIZES EVEN THE HEAVIEST 5TH WHEEL

STABILIZES FRONT-TO-BACK AND SIDE-TO-SIDE

UNIQUE DESIGN BRINGS THE STABILIZER TO THE KING PIN

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

PADLOCK INCLUDED

WEIGHS JUST 18 LB

ADJUSTABLE FROM 34" TO 52"

UF# 19-950200

SUPPORTS UP TO 1,200 LB



Adjustable King Pin Tripod

MINIMIZES FRONT-TO-BACK AND SIDE-TO-SIDE MOTION

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

ADJUSTABLE HITCH CUP FOR FINE TUNING

HEAVY DUTY STEEL CONSTRUCTION

PADLOCK INCLUDED

ADJUSTABLE FROM 33" TO 62"

WEIGHS JUST 25 LB

UF# 19-950600

**SUPPORTS UP
TO 1,200 LB**

**EXTEND AN ADDITIONAL
27.5"**



Steel Gooseneck Tripod

GOOSENECK CONNECTOR FOR HORSE AND CARGO TRAILERS

WORKS WITH ANDERSEN HITCH CONVERSIONS

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

WEIGHS JUST 24 LB

HEAVY DUTY STEEL CONSTRUCTION

ADJUSTABLE FROM 31" TO 54"

UF# 19-950450

**SUPPORTS UP
TO 5,000 LB**



Carry-All for Tripods

KEEP DIRT AND GRIME OUT OF STORAGE AREA

UNIVERSAL STORAGE FOR MOST BRANDS

MADE OF DURABLE OXFORD CLOTH

PERFECT FOR STORING OTHER ITEMS

VELCRO HANDLE WRAP 32" X 6" X 6"

UF# 19-950800



Stabilizers

Slide Out Supports

SAVES WEAR AND TEAR ON SLIDE OUTS
REDUCES SAG
HELPS PREVENT COSTLY SLIDE OUT AND FRAME REPAIRS
HEAVY DUTY STEEL CONSTRUCTION
QUICK RELEASE BUTTON MAKES ADJUSTMENTS
EASY AND EFFORTLESS
TWO PER CARTON

UF# 19-960001 - Extends 16" to 28"

UF# 19-960002 - Extends 21" to 37"

UF# 19-960003 - Extends 26" to 47"



E-Z QUICK RELEASE BUTTON



**FIRST AND ONLY
SLIDE-OUT SUPPORT
THAT *CANNOT* DAMAGE
THE SLIDE-OUT**



Slide Out Support Carry

UNIVERSAL STORAGE FOR MOST BRANDS (ULTRA-FAB,
STROMBERG CARLSON, HUSKY, EAZ-LIFT)

MADE OF DURABLE OXFORD CLOTH

SAVES WEAR AND TEAR ON YOUR SUPPORTS

INSIDE DIVIDER KEEPS YOUR SUPPORTS FROM
DAMAGING EACH OTHER

ALSO PERFECT FOR STORING OTHER ITEMS

VELCRO HANDLE WRAP

32" X 6" X 6"

UF# 19-960004

**HOLDS TWO
SUPPORTS**

ONE SIZE FITS ALL



Scissor Jacks

HEAVY DUTY STEEL CONSTRUCTION
DURABLE POWDER COATED FINISH
BOLTS OR WELDS TO FRAME (BOLTS NOT INCLUDED)
3.5" X 7" MULTI-HOLE MOUNTING PLATES
4.5" X 9" FOOTPAD TO COMBAT SINKING AND TILTING
STRONG WORM GEAR WON'T SLIP

UF# 48-979006 - 24" Single Pack (no handle)
UF# 48-979002 - 24" Twin Pack (with handle)
UF# 48-979032 - 30" Single Pack (no handle)
UF# 48-979031 - 30" Twin Pack (with handle)
UF# 48-879100 - Replacement Handle

TWO SIZES AVAILABLE:
24" & 30"



SUPPORTS & STABILIZES UP TO 6,500 LB



FIRST AND ONLY DOUBLE-NUT SCISSOR JACK FOR FASTEST OPERATION

EXTENDS AND RETRACTS
MORE THAN 10X FASTER

Stacker Jacks

SUPER TOUGH, DIE CAST ALUMINUM CONSTRUCTION
EXTENDS FROM 11" TO 17"
PERFECT FOR TRAILER STABILIZATION
EASY TO SET UP AND ADJUST
ADJUSTABLE HANDLES
STACKABLE UNITS TAKE UP MINIMAL STORAGE SPACE
NOT AN AUTOMOTIVE JACK STAND

UF# 48-979003 - Twin Pack
UF# 48-979004 - Four Pack



EACH JACK
SUPPORTS UP
TO 6,000 LB



FOR STABILIZING ONLY-NOT FOR LIFTING

T-Slot Drill Attachment

ELIMINATES STRAIN AND EFFORT
TOUGH ZINC PLATED ALL
STEEL CONSTRUCTION
ADAPTER FITS 3/8" DRILLS

UF# 48-979071



J-Hook Drill Attachment

ELIMINATES STRAIN AND EFFORT
TOUGH ZINC PLATED ALL
STEEL CONSTRUCTION
ADAPTER FITS 3/8" DRILLS

UF# 48-979070



Speed Socket

ELIMINATES STRAIN AND EFFORT
TOUGH ZINC PLATED ALL STEEL CONSTRUCTION
NON-SLIP SHANK
ADAPTER FITS ALL 3/8" DRILLS
2 PIECE CONSTRUCTION

UF# 48-979005





Ultra-fab

The Ultimate in Stabilization

Eliminator II

Stabilizing System



UF# 48-979080

UF# 48-979081

**Side
to Side**

System

**Front
to Back**

System

Leveling

PowerTwin II


UNIQUE DESIGN STOPS FRONT-TO-BACK AND SIDE-TO-SIDE MOTION
POWERFUL, DUAL ELECTRIC MOTORS UTILIZE 12 VOLT OPERATION
FITS MOST TOWABLE RV FRAME TYPES
EXTRA LARGE FOOTPADS PROVIDE FIRM FOUNDATION
UNIVERSAL CONNECTING BRACKET INCLUDED
INDEPENDENT LIFTING AND LEVELING AT THE FLIP OF A SWITCH
LIFTS UP TO 6,000 LB PER LEG (SEE CHART)
DURABLE POWDER COATED FINISH

UF# 39-941705 - PT II-30
UF# 39-941707 - PT II-22

DUAL MOTOR OPERATION


PT II-30: Fits travel trailers and fifth wheels with frames from 48" to 80" and features up to 30" of leg extension.

PT II-22: Fits low profile travel trailers, 5th Wheels and Class C motorhomes with frames from 42" to 77" and features 22" of leg extension.



LIFTS, LEVELS & STABILIZES

Power Twin II Power Curve






Ultra-Fab

Leveling Blocks


INTERLOCKING BLOCKS ARE STACKABLE
IN A NUMBER OF CONFIGURATIONS
BLOCKS MEASURE 8.3125" x 8.3125"
30,000 LB WEIGHT CAPACITY
COMES IN 4, 8 OR 10 PACK WITH
HANDY CARRYING/STORAGE BAG

UF# 48-979050 - Four Pack
UF# 48-979051 - Ten Pack
UF# 48-979052 - Eight Pack



PERFECT FOR LEVELING YOUR ENTIRE RV!

**SIMPLY STACK LEVELERS TO
DESIRED HEIGHT AND PULL
FORWARD...IT'S THAT EASY.**



5th Wheel Accessories



Deluxe 5th Wheel Landing Gear

TWO POWERFUL 12 VOLT MOTORS ELIMINATE HAND-CRANKING LIFTS AND LEVELS 5TH WHEEL AT THE FLIP OF A SWITCH
BUILT-IN CLUTCH RATCHETS TO PREVENT DAMAGE
ALLOWS FOR INDEPENDENT POSITIONING OF FOOT PADS, ESPECIALLY ON UNEVEN SURFACES
FEATURES 21" DOWN-STROKE PLUS ADJUSTABLE EXTENSIONS, CREATING UP TO 38" OF TOTAL LIFT
36.5" OVERALL RETRACTED LENGTH

**12,000 LB COMBINED
LIFTING CAPACITY**

UF# 17-943010

Adjustable Footpad*

FITS STANDARD RV LANDING GEAR
HEAVY DUTY STEEL CONSTRUCTION
ELIMINATES TRAILER SINKING ON SOFT SURFACES
EXTRA LARGE 8" X 5" FOOTPRINT SPREADS THE TRAILER'S WEIGHT PROPORTIONALLY
NO NEED TO CARRY CUMBERSOME WOOD BLOCKS
INCLUDES VERTICAL FINE-TUNE ADJUSTMENT FOR FINAL LEVELING

UF# 17-940007

**ADJUSTABLE SPINDLE
MAKES SETUP EASIER**



5th Wheel Quick Pin*

7/16" AND 3/8" PIN SIZE AVAILABLE
BOLTS ON
QUICKLY ADJUSTS LANDING GEAR LEGS
HEAVY DUTY ZINC PLATED
STEEL CONSTRUCTION
INSTALLS IN MINUTES

UF# 17-943032 - 7/16" 2 Pack
UF# 17-943031 - 3/8" 2 Pack



Wire Lock Pin*

UF# 38-141023



Fixed Footpad*

FITS STANDARD RV LANDING GEAR
HEAVY DUTY STEEL CONSTRUCTION
ELIMINATES TRAILER SINKING ON SOFT SURFACES
EXTRA LARGE 8" X 5" FOOTPRINT SPREADS THE TRAILER'S WEIGHT PROPORTIONALLY
NO NEED TO CARRY CUMBERSOME WOOD BLOCKS

UF# 17-940006

***NOT FOR USE WITH
OTHER MANUFACTURERS'
MANUAL LANDING GEAR**



We know Jacks

**DEMAND THE BRAND WITH
THE LONGEST WARRANTIES**



Ultra Series 3502

3,500 LB LIFT CAPACITY
ZERK FITTING
FITS 2" AND 2.25" MOUNTING HOLES
TRAVELS 10" IN 50 SECONDS
18" OF TRAVEL
6" DIAMETER FOOTPAD PREVENTS SINKING
DIE-CAST ALUMINUM CAP
HARDENED STEEL GEARS
DUAL SITE-LITES™ PROVIDE HANDY ILLUMINATION
WATER RESISTANT MOTOR & GEAR HOUSING
EMERGENCY CRANK SOCKET INCLUDED
POSITIVE AND NEGATIVE WIRES FOR DIRECT GROUNDING


UF# 38-944017

Ultra 3502-7

ALL THE FEATURES OF 3502 PLUS...
4 FOOT, 7 WAY PLUG
PERFECT FOR TRAILERS WITH NO ON-BOARD BATTERY

UF# 38-944037

ULTRA 3502



Ultra Series 4000


4,000LB CAPACITY
ZERK FITTING
2.25" OUTER TUBE
TRAVELS 10" IN 40 SECONDS
18" OF TRAVEL
6" DIAMETER QUICK-DROP FOOTPAD ADDS 5.5" EXTENSION
HARDENED STEEL GEARS
LED LAMP PROJECTS LIGHT IN 4 DIRECTIONS
WATER RESISTANT MOTOR AND GEAR HOUSING
EMERGENCY CRANK SOCKET INCLUDED
POSITIVE AND NEGATIVE WIRES FOR DIRECT GROUNDING

UF# 38-944014

**4,000 LB
LIFT
CAPACITY**



ULTRA 3502



**THE FIRST AND
ONLY JACKS WITH
GREASEABLE SHAFT
FOR MAXIMUM
LIFESPAN**

ALL ULTRA-SERIES JACKS



The Phoenix

**Make the smart Decision
Buy a truly intelligent jack**



**Fastest and Quietest Jack
2 Memory Settings
Auto extend and retract**

ELECTRONIC CONTROL PANEL - NO EXTERNAL SWITCHES
4000 TRAVELS 10" IN 18 SECONDS
6" (4000) DIAMETER ADJUSTABLE FOOTPAD
PROVIDES AN EXTRA 5.5" OF TRAVEL
BUILT-IN LED LIGHT FOR NIGHT OPERATION
EMERGENCY CRANK SOCKET INCLUDED
BALL SCREW TECHNOLOGY
DURABLE POWDER COATED FINISH
STRONG 2.25" OUTER TUBE

UF# 38-944040 - Phoenix 4000



Must Activate Online
Within 90 Days Of Purchase

Strongest Jack for RVs

AUTO EXTEND/RETRACT
5500 TRAVELS 10" IN 47 SECONDS
2 MEMORY SETTINGS: HITCH HEIGHT & WDH HEIGHT
7" DIAMETER ADJUSTABLE FOOTPAD
PROVIDES AN EXTRA 5.5" OF TRAVEL
BUILT-IN LED LIGHT FOR NIGHT OPERATION
EMERGENCY CRANK SOCKET INCLUDED
BALL SCREW TECHNOLOGY
DURABLE POWDER COATED FINISH
STRONG 2.25" OUTER TUBE
INCLUDES REMOTE CONTROL

UF# 38-944055 - Phoenix 5500



Tongue Jack Protective Covers

HIGH QUALITY OXFORD CLOTH KNOWN FOR ITS ABILITY
TO PROTECT WATER PROTECTION AND SUN PROTECTION

2 SUPER STRONG GROMMETS
TO STORE SAFETY CHAINS



COVER
(10.5" W x 13.75" T)
UF# 38-944020

XL COVER
(14.5" W x 17.5" T)
UF# 38-944026



Manual Jacks

Topwind Tongue Jack

E-Z GRIP ROTATING HANDLE
DURABLE POWDER COATED FINISH
HEAVY DUTY STEEL CONSTRUCTION
UNIVERSAL MOUNTING FLANGE
USES 3/8" BOLTS (NOT INCLUDED)

UF# 49-954032 - 2" - 1,000 Lb Model
UF# 49-954033 - 2.25" - 2,000 Lb Model
UF# 49-954050 - 2.25" - 5,000 Lb Model



Tongue Jack Footpad

PREVENTS JACK FROM SINKING
HEAVY DUTY STEEL CONSTRUCTION
DURABLE POWDER COATED FINISH
ATTACHES TO JACK VIA CROSS AND PINCLIP (INCLUDED)
EASY INSTALLATION

UF# 49-954037 - Fits 2" Jack w/Inner Tube OD 1.75"
UF# 49-954038 - Fits 2.25" Jack w/Inner Tube OD 2"



Tongue Jack Caster Wheel

SMOOTH, EFFORTLESS MOVEMENT
NYLON BEARINGS
DURABLE POWDER COATED FINISH
TOUGH PLASTIC WHEEL
ATTACHES TO JACK VIA CROSS AND PINCLIP (INCLUDED)
EASY INSTALLATION

UF# 49-954035 - Fits 2" Jack w/Inner Tube OD 1.75"
UF# 49-954036 - Fits 2.25" Jack w/Inner Tube OD 2"

**650 LB
TONGUE WEIGHT
CAPACITY**



Sidewind Tongue Jack

ALL METAL GEARS
E-Z GRIP ROTATING HANDLE
DURABLE POWDER COATED FINISH
HEAVY DUTY STEEL CONSTRUCTION
UNIVERSAL MOUNTING FLANGE
USES 3/8" BOLTS (NOT INCLUDED)

UF# 49-954030 - 2" - 1,000 Lb Model
UF# 49-954031 - 2.25" - 2,000 Lb Model



Sidewind Swivel Marine Tongue Jack

ALL METAL GEARS
E-Z GRIP ROTATING HANDLE
HEAVY DUTY STEEL CONSTRUCTION
UNIVERSAL MOUNTING FLANGE
WORM GEAR JACKING MECHANISM WON'T SLIP
WHEEL ATTACHED
MOUNTING HARDWARE INCLUDED

UF# 49-954034

**1,000 LB
LIFT CAPACITY**



Security

Megahitch Coupler Vault

STRONGEST COUPLER LOCK AVAILABLE
PRACTICALLY IMPOSSIBLE TO CUT, PRY OR BREAK
SOLID STEEL CONSTRUCTION
WEATHER RESISTANT POWDER COATING



UF# 35-946510 - Combo Kit

HEAVY-DUTY PROTECTION FOR PARKED TOWABLES



THE ADJUSTABLE, HIGH-DENSITY
ACETATE BALL SYSTEM FITS INTO THE
COUPLER THE SAME WAY AS YOUR HITCH
BALL.



PATENTED DESIGN AND SOLID
STEEL CONSTRUCTION MAKE IT ALL
BUT IMPOSSIBLE FOR THIEVES TO
CUT, PRY OR DISABLE THE LOCK.



THE COUPLER LOCK YOU CAN'T BREAK WITHOUT A CUTTING TORCH



5th Wheel Locking Cup

FITS OVER KING PIN TO
PREVENT ILLEGAL HOOK-UP
PADLOCK INCLUDED
EASY TO INSTALL AND USE

UF# 48-979008



Skid Wheels

2 WHEELS PER CARTON



Ultra-Fab Micro Steel Roller

2" WHEEL WIDTH, 2" DIAMETER
EXTRA-TOUGH ALL-STEEL CONSTRUCTION
FOR ALL MOTORHOMES, TRAILERS AND 5TH WHEELS
QUARTER INCH STEEL MOUNTING BRACKET
WELDS ON
ONE PER CARTON
GREASE/ZERK FITTING 2.25"


UF# 48-979021



Hitch Mount Steel Roller

2.25" WHEEL WIDTH, 2.9375" DIAMETER
HEAVY DUTY STEEL CONSTRUCTION
FOR USE ON ALL MOTORHOMES, TRAVEL TRAILERS
AND 5TH WHEELS
HELPS PREVENT COSTLY DAMAGE
TWO PER CARTON

UF# 48-979017 - Fits 2.25" hitch bars
UF# 48-979018 - Fits 3" hitch bars



3.125"

Mini Steel Roller

1.5" WHEEL WIDTH, 2.5" DIAMETER
EXTRA-TOUGH SOLID STEEL CONSTRUCTION
FOR ALL MOTORHOMES, TRAILERS AND 5TH WHEELS
QUARTER INCH STEEL MOUNTING BRACKET
WELDS ON
ONE PER CARTON

UF# 48-979022




2.875"



Receiver Mount Protector

2.25" WHEEL WIDTH, 2" DIAMETER
HEAVY DUTY STEEL CONSTRUCTION
INSTALLS IN SECONDS
FOR USE ON ALL MOTORHOMES, TRAVEL TRAILERS
AND 5TH WHEELS
HELPS PREVENT COSTLY DAMAGE
HITCH PIN NOT INCLUDED
ONE PER CARTON

UF# 48-979020



2.25"

Jumbo Steel Roller

2.5" WHEEL WIDTH, 3" DIAMETER
EXTRA-TOUGH ALL-STEEL CONSTRUCTION
FOR ALL MOTORHOMES, TRAILERS AND 5TH WHEELS
QUARTER INCH STEEL MOUNTING BRACKET
WELDS ON
ONE PER CARTON
GREASE/ZERK FITTING 3.3125"

UF# 48-979023



3.3125"

Skid Wheels

HELPS PROTECT UNDERCARRIAGE FROM DAMAGE
DROP FORGED CASTER IS SUPERIOR IN STRENGTH
TO OTHER CASTERS
EXTRA STRONG METAL WHEELS WITH ROLLER
BEARINGS AND ZERK FITTING FOR LONGEST LIFE
POSSIBLE
PREVENTS TAIL DRAGGING AND DIGGING
WHILE BACKING UP
EASY BOLT-ON INSTALLATION

7.75"



6" Swivel
UF# 48-979013

7.25"



5" Swivel
UF# 48-979012

5.5"



4" Swivel
UF# 48-979011

4.75"



4" Rigid
UF# 48-979015

5.5"



4" Swivel Hitch Mount
UF# 48-979014

SWIVEL SKID WHEELS BOLT TO A WELD-ON PLATE


Cargo Management



RV Bumper Receiver Adapter

FITS 4" SQUARE RV BUMPERS
DURABLE POWDER COATED FINISH
200 LB TONGUE WEIGHT CAPACITY
ACCEPTS 2" CARRIER TUBES
ZINC PLATED HARDWARE INCLUDED
NOT RECOMMENDED FOR TOWING

UF# 35-946401



BOLTS ON



Universal Hitch

3,500 LB LIGHT DUTY TRAILER TOWING CAPACITY
350 LB TONGUE WEIGHT CAPACITY
2" SQUARE RECEIVER OPENING
U-BOLTS MOUNT TO 4" SQUARE BUMPERS
EASY BOLT-ON INSTALLATION
INCLUDES MOUNTING HARDWARE AND U-BOLTS
DURABLE POWDER COATED FINISH

UF# 35-946402

**TOTAL WEIGHT MAY NOT EXCEED
EXISTING BUMPER RATING**

BOLTS ON



3,500 LB LIGHT DUTY TRAILER TOWING CAPACITY

Accessory Adapter

**WELDS ON
STANDARD 2" RECEIVER**

USED FOR BIKE AND CARGO CARRIERS
FOR LIGHT DUTY TRAILERS
CLASS 2 HITCH
HEAVY DUTY STEEL CONSTRUCTION
DURABLE POWDER COATED FINISH
ADJUSTS FROM 47.125" TO 77"
300 LB TONGUE WEIGHT CAPACITY
ENGINEERED TO FIT MOST RV FRAMES

UF# 35-946403





Ultra-Fab

Ultra Cargo Carriers

RUGGED STEEL CONSTRUCTION
DURABLE POWDER COATED FINISH
METAL MESH PLATFORM ELIMINATES STANDING WATER
CONVENIENT TIE-DOWN UTILITY HOLES
FITS 2" RECEIVER HITCH

UF# 48-979029 - 19.25" x 60"
UF# 48-979025 - 23.25" x 60"

TWO SIZES AVAILABLE



19.25"
OR
23.25"

500 LB CAPACITY

**4" FROM HITCHPIN
HOLE TO CARRIER**



60"




Optional Cargo Carrier Bike Rack Accessory

RUGGED STEEL CONSTRUCTION
DURABLE POWDER COATED FINISH
CONVENIENT TIE-DOWN STRAP INCLUDED
LIGHTWEIGHT FOR EASY MOUNTING
INSTALLS EASILY IN JUST MINUTES

HOLDS UP TO 3 BIKES

UF# 48-979030





Ultra MX Hauler

SECURELY HOLDS DIRT BIKE FOR TRANSPORT OR MAKING REPAIRS

HEAVY DUTY STEEL CONSTRUCTION

EASY ASSEMBLY, BOLTS TOGETHER

MOUNTS IN STANDARD 2" RECEIVERS

37.5" RAMP WORKS ON EITHER SIDE OF CARRIER

DURABLE POWDER COATED FINISH

500 LB LOAD CAPACITY

UF# 48-979033

TIE-DOWN STRAPS NOT INCLUDED



Universal RV Carrier



HEAVY DUTY CONSTRUCTION



CARRY A SPARE JUST IN CASE...
EASILY CONVERTS FROM FIXED TO FOLD-DOWN FOR EASY ACCESS TO REAR STORAGE COMPARTMENT.
BOLTS TO 4" SQUARE BUMPERS.
FITS FIFTH WHEEL AND TRAVEL WHEELS. DOES NOT FIT MOST MOTORHOMES.
DESIGNED TO MINIMIZE TIRE VIBRATION.
HEAVY DUTY STEEL CONSTRUCTION.
DURABLE POWDER COATED FINISH.
INCLUDES ALL ITEMS FOR SET-UP AND USE.
60# CAPACITY.
1-YEAR WARRANTY.

UF# 15-954730



Tow Dolly Tie-Down Strap

UNIVERSAL DESIGN FITS 14" TO 16" TIRES

QUICKLY FITS AND ADJUSTS TO TIRE

ONE PIECE DESIGN - NO PRE-ASSEMBLY REQUIRED

TOUGH, NON-ABRASIVE NYLON

HEAVY DUTY METAL HOOKS ATTACHES

ON DRIVER OR PASSENGER SIDE

HEAVY-DUTY 5,000 LB CAPACITY

COMPATIBLE WITH MOST TOW DOLLIES

ONE PER PACKAGE

UF# 46-700034





Ultra-Fab

Bug Stopper Screens

KEEPS OUT MUD DAUBERS, WASPS, MICE AND BIRDS

DOES NOT BLOCK AIR FLOW

HEAVY DUTY STAINLESS STEEL

EASY TO INSTALL

LARGE SELECTION OF PROTECTIVE SCREENS FOR REFRIGERATORS, FURNACES, STOVES, WATER HEATERS AND PLUMBING VENTS



10.5" X 4"
UF# 53-945300



9.5" X 7"
UF# 53-945410



27.5" X 1.3125"
UF# 53-945230



6.5" X 6.5"
UF# 53-945420



6.75" X 5"
UF# 53-945150



8.5" X 5.5"
UF# 53-945400



4" ROUND
UF# 53-945130



7.25" X 4"
UF# 53-945100



2.75" ROUND
UF# 53-945110



4.75" X 4.5"
UF# 53-945120



6" ROUND
UF# 53-945140



4.5" X 4.5"
UF# 53-945430



8" X 1.5"
UF# 53-945220



20" X 1.5"
UF# 53-945200



20" X 1.25"
UF# 53-945210

Accessories



Universal Access Door

**BUILT-IN LOCK SECURES IMPORTANT CARGO AREAS
(NOT KEYED ALIKE)**

**FOR USE ON ALL RVs, TRUCKS, CARGO HAULERS,
TRAILERS AND SPECIALTY VEHICLES OF ALL TYPES**

EASY INSTALLATION

5" X 5" OPENING, 8" X 7" FRAME

UF# 48-979009 - White

UF# 48-979010 - Chrome

EASY TO INSTALL



Mini Solar Plumbing Vent

**AUTOMATICALLY REMOVES RV PLUMBING
ODORS AND MOISTURE**

SILENT AND RELIABLE VENTILATION

AERODYNAMIC FOR LESS DRAG CO-EFFICIENCY

UNIVERSAL DESIGN REPLACES MOST RV PLUMBING CAPS

INSTALLS EASILY ON ROOF TOP

NO WIRING REQUIRED

SOLAR POWERED START AND STOP

UF# 53-945001

**OPERATES ON
SOLAR POWER**





Planograms

***THE MOST PROFITABLE
SECTION IN YOUR STORE***

GUARANTEED SALES

***6 MONTH REVIEW
PRODUCT LIFT OFFERED***

3' BUG STOPPER END CAP



UF# 53-000003



Scissor Jack Planogram 48-979091

Items Included

- 48-979005 Drill Attachment - Speed Socket
- 48-979070 Drill Attachment - J Hook
- 48-979071 Drill Attachment - T Slot
- 48-979002 Scissor Jacks - 24" - 2/pk
- 48-979006 Scissor Jack - 24" - 1/pk
- 48-979031 Scissor Jacks - 30" - 2/pk
- 48-979032 Scissor Jack - 30" - 1/pk
- 48-979090 Shelf Talker



**PURCHASE
3 DIFFERENT
MODEL JACKS
& RECEIVE A
FREE TOWER**



SHELF TALKERS

POP Displays

TONGUE JACK TOWER

DISPLAY ULTRA-FAB'S FULL LINE OF JACKS IN A 10" x 10" FOOTPRINT
COVERS MAJOR BENEFITS OF EACH MODEL

ATTRACTS ATTENTION TO THIS HIGHLY PROFITABLE SECTION WITHOUT GIVING UP A LOT OF STORE SPACE

FULL DISPLAY - PURCHASE ONE OF EACH MODEL

STAND ONLY - PURCHASE ANY 4 JACKS

POSTER FLOOR STAND

DOUBLE-SIDED VIEWING

TOP LOADS FOAM CORE BOARDS

SILVER FINISH



**STOCK THE PRODUCT
WE'LL PROVIDE SHELF
TALKERS AT
NO CHARGE**

19-960101 ShelfTalker - Slide-Out-Supports

21-001011 ShelfTalker - SuperGrip Tire Locking Chocks



53-945082 Solar Vent Displayer

Carry-All Bags



**KEEP DIRT AND GRIME OUT OF STORAGE AREA
PREVENTS CHOCKS FROM DAMAGING OTHER
ITEMS**

**UNIVERSAL STORAGE FOR MOST BRANDS
MADE OF DURABLE OXFORD CLOTH
SAVES WEAR AND TEAR
SEPERATE COMPARTMENT FOR RATCHET & PADLOCK
ALSO PERFECT FOR STORING OTHER ITEMS
VELCRO HANDLE WRAP
32" X 6" X 6"**



Tire Locking Chock
Carry-All
UF# 21-001097



Slide-Out Support
Carry-All
UF# 53-960004



Tripod
Carry-All
UF# 19-950800

21-001097
19-950800
19-960004

Tire Locking Chock Carry All
Tripod Carry-All
Slide Out Support Carry All



Tongue Jack Protective Covers

**HIGH QUALITY OXFORD CLOTH KNOWN FOR ITS ABILITY
TO PROTECT WATER PROTECTION AND SUN PROTECTION**

**2 SUPER STRONG GROMMETS
TO STORE SAFETY CHAINS**



COVER
(10.5" W x 13.75" T)
UF# 38-944020

XL COVER
(14.5" W x 17.5" T)
UF# 38-944026




**WATCH VIDEO
TONGUE JACK COVERS**

BRAKES

LIGHT / MEDIUM DUTY



**AUTOMOTIVE GRADE FRICTION
MATERIAL MOLDED TO BRAKE SHOES
PADS ARE FULLY BONDED TO SHOES FOR
LONG LIFE AND MORE BRAKING TORQUE
REDUCED CRACKING AND CRUMBLING**



MANUAL ADJUST BRAKES - BULK

48-979110 LEFT / DRIVER'S SIDE, 10" X 2.25, 3500LB CAP
48-979111 RIGHT / PASSENGER'S SIDE, 10" X 2.25, 3500LB CAP
48-979112 LEFT / DRIVER'S SIDE, 12" X 2, 6000 CAP
48-979113 RIGHT / PASSENGER'S SIDE, 12" X 2, 6000 CAP
48-979114 LEFT / DRIVER'S SIDE, 12" X 2, 7000 CAP
48-979115 RIGHT / PASSENGER'S SIDE, 12" X 2, 7000 CAP

MANUAL ADJUST BRAKES - BOXED

48-979150 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
48-979151 RIGHT / PASSENGER'S SIDE, 10" X 2.25, 3500LB CAP
48-979152 LEFT / DRIVER'S SIDE, 12" X 2", 6000LB CAP
48-979153 RIGHT / PASSENGER'S SIDE, 12" X 2", 6000LB CAP
48-979154 LEFT / DRIVER'S SIDE, 12" X 2", 7000LB CAP
48-979155 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP

SELF ADJUST BRAKES - BULK

48-979210 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
48-979211 RIGHT / PASSENGER'S SIDE, 10" X 2.25", 3500LB CAP
48-979214 LEFT / DRIVER'S SIDE, 12" X 2", 7000LB CAP
48-979215 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP

SELF ADJUST BRAKES - BOXED

48-979250 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
48-979251 RIGHT / PASSENGER'S SIDE, 10" X 2.25", 3500LB CAP
48-979254 LEFT / DRIVER'S SIDE, 12" X 2", 7000LB CAP
48-979255 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP



UF # 48-979216 (Left / Driver Side)
UF # 48-979217 (Right / Passenger Side)
12-1/4" x 3-3/8" 8,000 lb. Capacity



UF # 48-979218 (Left / Driver Side)
UF # 48-979219 (Right / Passenger Side)
12-1/4" x 3-3/8" 10,000 lb. Capacity



UF # 48-979220 (Left / Driver Side)
UF # 48-979221 (Right / Passenger Side)
12-1/4" x 4" 10,000 lb. Capacity



UF # 48-979222 (Left / Driver Side)
UF # 48-979223 (Right / Passenger Side)
12-1/4" x 5" 12,000 lb. Capacity



UF # 48-979224 (Left / Driver Side)
UF # 48-979225 (Right / Passenger Side)
12-1/4" x 5" 15,000 lb. Capacity

BRAKES

HEAVY DUTY

- Professionally engineered.
- High grade friction material.
- Pads bonded to shoes for maximum life.
- Corrosion resistant.
- Replaces Dexter, Lippert & Axle Tek



HUBS / DRUMS



**PROFESSIONALLY ENGINEERED
FULLY INCORPORATED CASTING
& MACHINING**

**AUTOMATED DIE COMPRESSION
FOR ADVANCED SAND SOLIDITY**

**DURABLE CONSTRUCTION FOR LONGER
LIFE.**

**BACKED BY ULTRA-FAB'S FAMOUS
QUALITY AND CUSTOMER SERVICE.**

SOLID GREY IRON STRUCTURE.

5-YEAR WARRANTY



UF # 48-979500

**HUB/DRUM, 3500 LB CAPACITY, 5 STUDS ON 4.5"
BOLT CENTER. 1/2 - 20 THREADED BOLTS, FOR 10" BRAKES**

UF # 48-979501

**HUB/DRUM, 6000 LB CAPACITY, 6 STUDS ON 5.5"
BOLT CENTER. 1/2 - 20 THREADED BOLTS, FOR 12" BRAKES**

UF # 48-979502

**HUB/DRUM, 7000 LB CAPACITY, 8 STUDS ON 6.5"
BOLT CENTER. 1/2 - 20 THREADED BOLTS., FOR 12" BRAKES**

UF # 48-979503

**HUB/DRUM, 7,000 LB CAPACITY, 8 STUDS ON 6.5"
BOLT CENTER. 9/16"-18 THREADED BOLTS, FOR 12" BRAKES**

POWER MOVER

FOR MOVING TRAVEL TRAILERS,
FIFTH WHEEL, GOOSENECK
TRAILERS AND MORE



- QUAD BATTERIES FOR RELIABLE POWER
- HYDRAULIC LIFT CREATES MAXIMUM POWER
- ALL TERRAIN TIRE PACKAGE FOR SURE TRACTION
- STROBE LIGHT WITH HORN FOR MAXIMUM SAFETY (OPTIONAL)
- TRAILER BRAKE CONNECTION
- NON MARKETING TIRES (OPTIONAL)
- 2 BUILT IN BATTERY CHARGERS FOR EASY CHARGING
- POWER LEVEL INDICATOR SO YOU DON'T GET SURPRISED
- 2-5/16" BALL PROVIDED FOR USE WITH GOOSENECKS
- REVERSING SWITCH FOR SAFETY

CALL FOR QUOTE (574.294.7571)



Model 7900
Shown

				
	5900	6900	6900 EXT	7900
DESIGNED FOR	TRAVEL TRAILER	TRAVEL TRAILER	INDUSTRIAL	FIFTH WHEEL & TRAVEL TRAILER
ALL TERRAIN TIRES BETTER TRACTION	OPT	NOT NEEDED	NOT NEEDED	NOT NEEDED
FOAM FILLED TIRES TO PREVENT BLOWOUTS	OPT	INCLUDED	INCLUDED	INCLUDED

THE SAFEST WAY TO MOVE
TRAILERS, HORSE TRAILERS &
FIFTH WHEELS ON YOUR LOT