

CREATING NEW OPPORTUNITIES FOR PROFITS







Ultra-Series Tongue Jacks

The Only Jacks That Allow For Greasing Of Inner Tube. Patented Grease Zerk Massively Extends Jack Life. All Steel Gears For Longer Life.

Water Resistant Motor And Gears.

18" Travel For Easy Hook-Up.

Durable Crank Socket For Emergency Operation

Without Power.

Durable Powder Coated Finish.

Direct wiring for trouble free operation.

18" travel for easy hook-up.

3.500 *Ib capacity Models* / **2.25** *Outer Tube* 38-944060 Designed With 2.25" Outer Tube. Dropleg Add 5.5" Additional Travel. Dual Site-Lites Provide Handy Illumination.

3,500 lb capacity Models / 2" Outer Tube

38-944017 2" Outer Tube
38-944037 With 7-Way Connector
Designed For 2" or 2.25" Coupler Hole.
6" Diameter Footpad Prevents Sinking.
Dual Site-Lites Provide Handy Illumination.

ULTRA-SERIES LAST LONGER BECAUSE OF THE PATENTED ZERK FITTING

Most jacks break down because of the grease on the inner tube wearing out. We have solved that problem.

Ultra-Series Tongue Jack (2.25 Outer Tube)

4,000 Ib capacity

38-9440146" Diameter Footpad Prevents Sinking.Drop Leg Adds 5.5" Additional Travel.Bright LED Lamps Project Light In 4 DirectionsFor Easier Nightime Operation.



ON ALL Ultra-Series Jacks









Make The Smart Decision Buy A Truly Intelligent Jack

Fastest And Quietest Jack 2 Memory Settings Auto Extend And Retract

Electronic Control Panel - No External Switches 4000 Travels 10" in 18 Seconds 6" (4000) Diameter Adjustable Footpad Provides An Extra 5.5" Of Travel Built-In LED Light For Night Operation Emergency Crank Socket Included Ball Screw Technology Strong 2.25" Outer Tube

UF# 38-944040 - Phoenix 4000

Strongest Electric Tongue Jack

Auto Extend/Retract 2 Memory Settings: Hitch Height & WDH Height 7" Diameter Adjustable Footpad Provides An Extra 5.5" Of Travel Built-In LED Light For Night Operation Emergency Crank Socket Included Ball Screw Technology Strong 2.25" Outer Tube Includes remote control

UF# 38-944055 - Phoenix 5500

Tongue Jack Protective Covers

COVER

(10.5" W x 13.75" T)

STURDY COVER WITH HANDY DRAWSTRING PROTECTS JACK FROM THE ELEMENTS

XL COVER (14.5"W x 17.5"T) UF# 38-944026





Must Activate Online Within 90 Days Of Purchase





Scissor Jacks

Heavy Duty Steel Construction Durable Powder Coated Finish Bolts Or Welds To Frame (Bolts Not Included) 3.5" x 7" Multi-Hole Mounting Plates 4.5" x 9" Footpad To Combat Sinking And Tilting Strong Worm Gear Will Not Slip

UF# 48-979006 - 24" Single Pack (no handle) UF# 48-979002 - 24" Twin Pack (with handle) UF# 48-979032 - 30" Single Pack (no handle) UF# 48-979031 - 30" Twin Pack (with handle) UF# 48-879100 - Replacement Handle



SUPPORTS & STABILIZES UP TO 6,500 LB





FIRST AND ONLY **DOUBLE-NUT SCISSOR JACK** FOR FASTEST **OPERATION**

T-Slot Drill Attachment

Eliminates Strain And Effort Tough Zinc Plated All **Steel** Construction Adapter Fits 3/8" Drills




J-Hook Drill Attachment

Eliminates Strain And Effort Tough Zinc Plated All Steel Construction Adapter Fits 3/8" Drills

UF# 48-979070

Speed Socket



Construction **Non-Slip Shank** Adapter Fits All 3/8" Drills







Deluxe 5th Wheel Landing Gear

Two Powerful 12 Volt Motors Eliminate Hand-Cranking Lifts And Levels 5th Wheel At The Flip Of A Switch Built-In Clutch Ratchets To Prevent Damage Allows For Independent Positioning Of Foot Pads, Especially On Uneven Surfaces Features 21" Down-Stroke Plus Adjustable Extensions, Creating Up To 38" Of Total Lift 36.5" Overall Retracted Length UF# 17-943010

Adjustable Footpad*

Fits Standard RV Landing Gear Heavy Duty Steel Construction Eliminates Trailer Sinking On Soft Surfaces Extra Large 8"x 5" Footprint Spreads The Trailer's Weight Proportionally No Need To Carry Cumbersome Wood Blocks Includes Vertical Fine-Tune Adjustment For Final Leveling UF# 17-940007





ADJUSTABLE SPINDLE MAKES SETUP EASIER

Fixed Footpad*

Fits Standard RV Landing Gear Heavy Duty Steel Construction Eliminates Trailer Sinking On Soft Surfaces Extra Large 8" x 5" Footprint Spreads The Trailer's Weight Proportionally No Need To Carry Cumbersome Wood Blocks

UF# 17-940006







7/16" And 3/8" Pin Size Available Bolts On Quickly Adjusts Landing Gear Legs Heavy Duty Zinc Plated Steel Construction Installs In Minutes

UF# 17-943032 - 7/16" 2 Pack UF# 17-943031 - 3/8" 2 Pack






The RV Lifting, Leveling & Stabilization Experts

BUILT TO MAKE LIFE EASIER FOR ALL TRAILER OWNERS

Eliminates need for scissor jacks



WHY SELL A STABILIZER THAT DOESN'T LEVEL ?



Dual Motor Operation

UF# 39-941707 POWERTWIN II-22" UF# 39-941705 POWERTWIN II-30"



STOPS FRONT-TO-BACK & SIDE-TO-SIDE MOTION

- OUR BEST-IN-CLASS TRAILER STABILIZER WAS BUILT TO MAKE LIFE EASIER FOR PRACTICALLY ALL TRAILER TYPES.
- THE POWERTWIN II'S UNIQUE DESIGN STOPS FRONT-TO-BACK MOTION AND SIDE-TO-SIDE MOTION, Eliminating the need for Scissor Jacks.
- LIFTING AND LEVELING AT THE FLIP OF A SWITCH OR BY OUR REMOTE CONTROL.
- DUAL 12-VOLT MOTORS ALLOW FOR FAST, EASY AND CONVENIENT INDEPENDENT LEG OPERATIONS WITH LIFTING CAPACITY OF 6,000 LBS. PER LEG / 12,000 LBS. PER POWERTWIN II / 24,000 LBS. PER TRAILER.
- MOUNT ONE IN FRONT AND ONE ON REAR FOR EXTREME STABILIZATION.
- PUSH BUTTON FOR FAST EXTENSION AND RETRACTION.
- ADJUST AUTOMATICALLY FOR UNEVEN SURFACES.
- HEAVY DUTY STEEL CONSTRUCTION AND DURABLE POWDER COATED FINISH RESISTS STANDARD WEAR AND TEAR.
- LEGS EXTEND 22" OR 30" DEPENDING ON MODEL.
- 3-YEAR WARRANTY.

WHY SELL A STABILIZER THAT DOESN'T LEVEL ?

Figure 1998 Figure 1998 Figur

All Metal Gears E-Z Grip Rotating Handle Durable Powder Coated Finish Heavy Duty Steel Construction Universal Mounting Flange Uses 3/8" Bolts (Not Included)

UF# 49-954032 - 2" - 1,000 Lb Model UF# 49-954033 - 2.25" - 2,000 Lb Model UF# 49-954050 - 2.25" - 5,000 Lb Model

wind Tongue Jack



Heavy Duty Steel Construction Durable Powder Coated Finish Attaches To Jack Via Cross And Pinclip (Included) Easy Installation

UF# 49-954037 - Fits 2" Jack w/Inner Tube OD 1.75" UF# 49-954038 - Fits 2.25" Jack w/Inner Tube OD 2"

Sidewind Swivel Marine Tongue Jack

All Metal Gears E-Z Grip Rotating Handle Heavy Duty Steel Construction Universal Mounting Flange Worm Gear Jacking Mechanism Won't Slip Wheel Attached Mounting Hardware Included

UF# 49-954034



All Metal Gears E-Z Grip Rotating Handle Durable Powder Coated Finish Heavy Duty Steel Construction Universal Mounting Flange Uses 3/8" Bolts (Not Included)

UF# 49-954030 - 2" - 1,000 Lb Model UF# 49-954031 - 2.25" - 2,000 Lb Model





Tongue Jack Caster Wheel

Smooth, Movement Nylon Bearings Durable Powder Coated Finish Tough Plastic Wheel Attaches To Jack Via Cross And Pinclip (Included) Easy Installation

UF# 49-954035 - Fits 2" Jack w/Inner Tube OD 1.75" UF# 49-954036 - Fits 2.25" Jack w/Inner Tube OD 2"



Strongest Coupler Lock Available Practically Impossible To Cut, Pry Or Break Solid Steel Construction Weather Resistant Powder Coating

UF# 35-946510 - Combo Kit







THE COUPLER LOCK YOU CAN'T BREAK WITHOUT BREAK WITHOUT A CUTTING TORCH



PATENTED DESIGN AND SOLID STEEL Construction make it all but impossible for thieves to cut, pry or disable the lock.



Skid Wheels



2" Wheel Width, 2" Diameter Tough All-Steel Construction For Motorhomes, Trailers And 5th Wheels 1/4" Weld On Mounting Bracket Grease/Zerk Fitting

 Retail Pack UF# 48-979021
 2.25

 Bulk Brackets (20pk) UF# 48-979060
 Bulk Roller (20pk) UF# 48-979061



Mini Steel Roller

1.5" Wheel Width, 2.5" DiameterTough All-Steel ConstructionFor Motorhomes, Trailers And 5th Wheels1/4" Weld On Mounting Bracket

Retail Pack UF# 48-979022 Bulk Bracket (20pk) UF# 48-979062 Bulk Roller (20pk) UF# 48-979063



Jumbo Steel Roller

2.5" Wheel Width, 3" Diameter
Tough All-Steel Construction
For Motorhomes, Trailers And 5th Wheels
1/4" Weld On Mounting Bracket
Grease/Zerk Fitting

Retail Pack UF# 48-979023 Bulk Bracket (10pk) UF# 48-979061 Bulk Roller (10pk) UF# 48-979062





Hitch Mount Steel Roller

2.25" Wheel Width2.9375" DiameterTough All-Steel ConstructionFor Use On Motorhomes,Travel Trailers And 5th WheelsTwo Per Carton

UF# 48-979017 - Fits 2.25" hitch bars UF# 48-979018 - Fits 3" hitch bars



Receiver Mount Protector

2.25" Wheel Width, 2" Diameter Tough All-Steel Construction Installs In Seconds For Use On Motorhomes, Travel Trailers And 5th Wheels Hitch Pin Not Included One Per Carton

UF# 48-979020



Cargo Managment





Accessory Adapter

WELDS ON



Accessory Adapter

Used For Bike And Cargo Carriers For Light Duty Trailers Class 2 Hitch Heavy Duty Steel Construction Durable Powder Coated Finish Adjusts From 47.125" To 77" 300 Lb Tongue Weight Capacity Engineered To Fit Most RV Frames

UF# 35-946403

You Can **TAKE IT** WITH YOU

RNI TS NN

Universal Hitch

3,500 LB LIGHT DUTY TRAILER TOWING CAPACITY

3,500 Lb Trailer Towing Capacity 350 Lb Tongue Weight Capacity 2" Square Receiver Opening Bolt-on Mounting To 4" Square Bumpers

Easy Bolt-On Installation Includes Mounting Hardware Durable Powder Coated Finish

UF# 35-946402





Fits 4" Square RV Bumpers Durable Powder Coated Finish 200 Lb Tongue Weight Capacity Accepts 2" Carrier Tubes Zinc Plated Hardware Included Not Recommended For Towing

UF# 35-946401





Keyed Lock Secures Important Cargo Areas (Not Keyed Alike) For Use On All RVs, Trucks, Cargo Haulers, Trailers And Specialty Vehicles Of All Types Easy Installation 5" x 5" Opening, 8" x 7" Frame

UF# 48-979009 - White UF# 48-979010 - Chrome







48-979500 Hub & Drum-3500LB CAPACITY 5 X 4.5, 1/2"-20 For 10" Brakes



48-979502 Hub & Drum-7000LB CAPACITY 8 X 6.5, 1/2"-20 For 12" Brakes



UF # 48-979507 Idler Hub, 2000lb Capacity 4" x "4" Bolt Pattern ½"-20 Studs



48-979501 Hub & Drum-6000LB CAPACITY 6 X 5.5, 1/2"-20 For 12" Brakes



48-979503 HUB & DRUM-7000LB CAPACITY 8 X 6.5, 9/16"-18 For 12" Brakes



UF # 48-979509 Idler Hub, 3500lb capacity 5" x 4.5" Bolt Pattern ½"-20 Studs



Ultra-Fab MAXIMIZE YOUR STOPPING POWER

BETTER STOPPING POWER WITH GENUINE ULTRA-FAB PRODUCTS

PROFESSIONALLY Engineered

BACKED BY ULTRA-FAB'S FAMOUS QUALITY AND CUSTOMER SERVICE

DURABLE CONSTRUCTION FOR LONGER LIFE

SOLID GREY IRON STRUCTURE

UF # 48-979508 IDLER HUB, 2000LB CAPACITY 5" x 4.5" BOLT PATTERN ½"-20 STUDS











MAXIMUM QUALITY INCREDIBLE WARRANTY

UF#	Dexter #	Lippert #	Redneck	Axle Teknology	TRP
48-979110	K23-026-00	122258	EB01-100	B10E-21	BK-10E-01
48-979111	K23-027-00	122450	EB01-105	B10E-22	BK-10E-02
48-979112	K23-105-00		EB01-120		
48-979113	K23-106-00		EB01-125		
48-979114	K23-180-00	122259	EB01-120	B12E-21	BK-12E-01
48-979115	K23-181-00	122451	EB01-125	B12E-22	BK-12E-02
48-979210	K23-468-00	1222583	EB01-107	B10EA-21	BK-10E-01SA
48-979211	K23-469-00	1224503	EB01-108	B10EA-22	BK-10E-02SA
48-979214	K23-464-00	1222593	EB01-127	B12EA-21	BK-12E-01SA
48-979215	K23-465-00	1224513	EB01-128	B12EA-22	BK-12E-02SA
48-979216	K23-434-00	298277	EB01-130	B1208E-11	BK-8KE-01
48-979217	K23-435-00	298279	EB01-135	B1208E-12	BK-8KE-02
48-979218	K23-450-00	181935	EB01-140	B1210E-11	BK-10KE-01
48-979219	K23-451-00	181936	EB01-145	B1210E-12	BK-10KE-02
48-979220	K23-438-00		EB01-157		
48-979221	K23-439-00		EB01-158		
48-979222	K23-422-00		EB01-160	B1212E-11	
48-979223	K23-423-00		EB01-165	B1212E-12	
48-979224	K23-446-00		EB01-160		
48-979225	K23-447-00		EB01-165		

MANUAL ADJUST - BULK

48-979110	10" X 2.25", 3.5K, LH
18-979111	10" X 2.25", 3.5K, RH
18-979112	12" X 2", 6K, LH
18-979113	12" X 2", 6K, RH
18-979114	12" X 2", 7K, LH
8-979115	12" X 2", 7K, RH

MANUAL ADJUST	- BOXED
48-979150	10" X 2.25", 3.5K, LH
48-979151	10" X 2.25", 3.5K, RH
48-979152	12" X 2", 6K, LH
48-979153	12" X 2", 6K, RH
48-979154	12" X 2", 7K, LH
48-979155	12" x 2", 7K, RH

SELF ADJUST -	BULK
48-979210	10" X 2.25", 3.5K, LH
48-979211	10" X 2.25", 3.5K, RH
48-979214	12" X 2", 7K, LH
48-979215	12" x 2", 7K, RH
48-979216	12-1/4" X 3-3/8" 8K LB. LH

SELF ADJUST -	BOXED
48-979250	10" X 2.25", 3.5K, LH
48-979251	10" X 2.25", 3.5K, RH
48-979254	12" X 2", 7K, LH
48-979255	12" x 2", 7K, RH

• WHEN EVERY SECOND COUNTS, RELY ON ULTRA-FAB BRAKES

- **REACT QUICKLY TO ROAD HAZARDS**
- E-COATED TO RESIST RUST
- BACKED BY ULTRA-FAB'S RENOWNED CUSTOMER SERVICE.



UF # 48-979216 (Left / Driver Side) UF # 48-979217 (Right / Passenger Side) 12-1/4" x 3-3/8" 8,000 lb. Capacity





UF # 48-979218 (Left / Driver Side) UF # 48-979219 (Right / Passenger Side) 12-1/4" x 3-3/8" 10,000 lb. Capacity



UF # 48-979220 (Left / Driver Side) UF # 48-979221 (Right / Passenger Side) 12-1/4" x 4" 10,000 lb. Capacity



UF # 48-979222 (Left / Driver Side) UF # 48-979223 (Right / Passenger Side)• 12-1/4" x 5" 12,000 lb. Capacity

- Ultra-Fab
 Professionally engineered.
- High grade friction material.
- Pads bonded to shoes for maximum life.
- Corosion resistant.
- Replaces Dexter, Lippert & Axle Tek



UF # 48-979224 (Left / Driver Side) UF # 48-979225 (Right / Passenger Side) 12-1/4" x 5" 15,000 lb. Capacity



Durable construction for maximum life

5-year warranty

Improved Replaces stopping power factory products





ultra-fab.com sales@ultra-fab.com 574.294.7571 57985 State Road 19 South, Elkhart, IN 46517

> HELPING INCREASE PROFITS AND CREATE HAPPY CUSTOMERS.