




# THE JACK, LEVELING & STABILIZATION **EXPERTS**



**Ultra-Fab**



**RVing is meant to be enjoyable  
We Keep It That Way**

**800-860-7571**

**sales@ultra-fab.com**

**ULTRA-FAB.COM**





## Ultra-Fab Super Grip Chock

SUPERIOR HANDLE DESIGN REDUCES SLIPPAGE WHILE MOUNTING  
HEAVY DUTY STEEL CONSTRUCTION  
FITS MOST APPLICATIONS  
COLLAPSES TO JUST 1.0" AND EXPANDS TO 10.25"  
XL COLLAPSES TO 3.5" AND EXPANDS TO 17"

UF# 21-001090 - Single Pack  
UF# 21-001091 - Twin Pack  
UF# 21-001094 - XL Single Pack  
UF# 21-001095 - XL Twin Pack



**E-Z RATCHET  
INCLUDED**

**HANDY PADLOCK  
DETERS THEFT**

**PIVOTING LOUVERS  
INCREASE TIRE GRIP**



## ELIMINATES FRONT-TO-BACK ROCKING MOTION

**PADLOCK INCLUDED IS \$10  
EXTRA VALUE PER CHOCK**


**ONLY CHOCK WITH HANDLE  
LOCKED DOWN AT BOTH  
ENDS FOR EASIER SET-UP**

# Stabilizers

## Ultra Chock + Lock

WORKS BY ANCHORING THE OPPOSING WHEELS OF TANDEM  
AXLE TRAILERS AND FIFTH WHEELS  
LOCKABLE TO PREVENT THEFT (PADLOCK NOT INCLUDED)  
E-Z GRIP HANDLE CREATES BETTER LEVERAGE  
HEAVY DUTY STEEL CONSTRUCTION  
SUPER GRIP TIRE LOUVERS REDUCE SLIP  
EASY TO USE, ONE PIECE STABILIZER CHOCK  
COLLAPSES TO JUST 1.5" AND EXPANDS TO 5.25"  
XL COLLAPSES TO 4.5" AND EXPANDS TO 10"

UF# 21-001060 - Chock & Lock Single Pack  
UF# 21-001070 - Chock & Lock Twin Pack  
UF# 21-001080 - Ultra Deluxe Chock & Lock XL



**ANCHORS OPPOSING WHEELS OF TANDEM AXLES**

## Carry-All for Tire Locking Chocks

KEEP DIRT AND GRIME OUT OF STORAGE AREA  
PREVENTS CHOCKS FROM DAMAGING OTHER ITEMS  
UNIVERSAL STORAGE FOR MOST BRANDS  
MADE OF DURABLE OXFORD CLOTH  
SAVES WEAR AND TEAR ON CHOCKS  
COMPARTMENT FOR RATCHET & PADLOCK  
ALSO PERFECT FOR STORING OTHER ITEMS  
VELCRO HANDLE WRAP  
32" x 6" x 6"




UF# 21-001097



### MEASURING FOR SUPER GRIP CHOCKS

**A** FIND THE CLOSEST POINT BETWEEN YOUR TRAILER'S TANDEM AXLE TIRES.  
**B** MEASURE VERTICALLY 6 INCHES (SUPER GRIP CHOCK) OR 11 INCHES (XL SUPER GRIP CHOCK).  
**C** NEXT, MEASURE THE HORIZONTAL DISTANCE FROM THE TOP OF THE VERTICAL MEASUREMENT. IT MUST BE AT LEAST 5" FOR SUPER GRIP CHOCKS TO SLIDE BETWEEN THE TIRES.  
**D** SUPER GRIP CHOCKS COLLAPSE TO 1.25 INCHES AND SUPER GRIP XL CHOCKS COLLAPSE TO 1.5 INCHES TO AMPLY FIT MOST TANDEM AXLE CONFIGURATIONS.



# THE FASTEST TRIPOD TO SET-UP AND BREAK-DOWN

STEEL & ALUMILITE MODELS

## **Steel King Pin Tripod**

PREVENTS FRAME MOVEMENT IN FRONT OF FIFTH WHEEL

STABILIZES EVEN THE HEAVIEST 5TH WHEEL

STABILIZES FRONT-TO-BACK AND SIDE-TO-SIDE

UNIQUE DESIGN BRINGS THE STABILIZER TO THE KING PIN

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

ADJUSTABLE HITCH CUP FOR FINE TUNE ADJUSTMENT

HEAVY DUTY STEEL CONSTRUCTION

WEIGHS JUST 23 LB

ADJUSTABLE FROM 37" TO 50"

PADLOCK INCLUDED

**SUPPORTS UP  
TO 5,000 LB**

UF# 19-950001

## **8" Tripod Leg Extensions**

UF# 19-950002 - Steel King Pin Leg Extensions (set of 3)

UF# 19-950202 - Aluminum King Pin Leg Extensions (set of 3)

**ADDS APPROX. 6" TO OVERALL HEIGHT OF TRIPOD**

## **Economy King Pin Tripod**

MINIMIZES FRONT-TO-BACK AND SIDE-TO-SIDE  
MOTION

5" X 5.5" FOOTPADS TO COMBAT SINKING AND  
TILTING

ADJUSTABLE HITCH CUP FOR FINE TUNING

HEAVY DUTY STEEL CONSTRUCTION

PADLOCK INCLUDED

ADJUSTABLE FROM 31" TO 54"

WEIGHS JUST 24 LB

UF# 19-950500

**SUPPORTS UP  
TO 5,000 LB**



**COLLAPSIBLE  
HANDLES**

## **Alumilite King Pin Tripod**

ROCK SOLID, STABILIZES EVEN THE HEAVIEST 5TH WHEEL

STABILIZES FRONT-TO-BACK AND SIDE-TO-SIDE

UNIQUE DESIGN BRINGS THE STABILIZER TO THE KING PIN

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

PADLOCK INCLUDED

WEIGHS JUST 18 LB

ADJUSTABLE FROM 34" TO 52"

UF# 19-950200

**SUPPORTS UP TO 1,200 LB**



## **Adjustable King Pin Tripod**

MINIMIZES FRONT-TO-BACK AND SIDE-TO-SIDE MOTION

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

ADJUSTABLE HITCH CUP FOR FINE TUNING

HEAVY DUTY STEEL CONSTRUCTION

PADLOCK INCLUDED

ADJUSTABLE FROM 33" TO 62"

WEIGHS JUST 25 LB

UF# 19-950600

**SUPPORTS UP  
TO 1,200 LB**

**EXTEND AN ADDITIONAL  
27.5"**



## **Steel Gooseneck Tripod**

GOOSENECK CONNECTOR FOR HORSE AND CARGO TRAILERS

WORKS WITH ANDERSEN HITCH CONVERSIONS

5" X 5.5" FOOTPADS TO COMBAT SINKING AND TILTING

WEIGHS JUST 24 LB

HEAVY DUTY STEEL CONSTRUCTION

ADJUSTABLE FROM 31" TO 54"

UF# 19-950450

**SUPPORTS UP  
TO 5,000 LB**



## **Carry-All for Tripods**

KEEP DIRT AND GRIME OUT OF STORAGE AREA

UNIVERSAL STORAGE FOR MOST BRANDS

MADE OF DURABLE OXFORD CLOTH

PERFECT FOR STORING OTHER ITEMS

VELCRO HANDLE WRAP 32" X 6" X 6"

UF# 19-950800





# Stabilizers

## Slide Out Supports

SAVES WEAR AND TEAR ON SLIDE OUTS  
REDUCES SAG  
HELPS PREVENT COSTLY SLIDE OUT AND FRAME REPAIRS  
HEAVY DUTY STEEL CONSTRUCTION  
QUICK RELEASE BUTTON MAKES ADJUSTMENTS  
EASY AND EFFORTLESS  
TWO PER CARTON

UF# 19-960001 - Extends 16" to 28"

UF# 19-960002 - Extends 21" to 37"

UF# 19-960003 - Extends 26" to 47"



E-Z QUICK RELEASE BUTTON



**FIRST AND ONLY  
SLIDE-OUT SUPPORT  
THAT *CANNOT* DAMAGE  
THE SLIDE-OUT**



## Slide Out Support Carry

UNIVERSAL STORAGE FOR MOST BRANDS (ULTRA-FAB,  
STROMBERG CARLSON, HUSKY, EAZ-LIFT)

MADE OF DURABLE OXFORD CLOTH

SAVES WEAR AND TEAR ON YOUR SUPPORTS

INSIDE DIVIDER KEEPS YOUR SUPPORTS FROM  
DAMAGING EACH OTHER

ALSO PERFECT FOR STORING OTHER ITEMS

VELCRO HANDLE WRAP

32" X 6" X 6"

UF# 19-960004

**HOLDS TWO  
SUPPORTS**

**ONE SIZE FITS ALL**



## Scissor Jacks

THE EASIEST TO INSTALL AND EASIEST TO USE.

TWICE AS FAST DUE TO STRONG WORM GEAR WITH TWO NUTS IN PLACE.

EASIER TURNING BECAUSE SCREW ROD HAS TIGHTEST THREADS AVAILABLE.

SIMPLE TO INSTALL - UNIVERSAL REPLACEMENT.

THE 6,500 LB. CAPACITY PROVIDED BY ALL STEEL CONSTRUCTION IS PERFECT FOR TODAY'S LARGER AND HEAVIER RVs.

OVER 40 SQUARE INCHES OF FOOTPAD (4.5" X 9") PROVIDES THE MOST GROUND STABILITY ON THE MARKET.

WILL LOOK GOOD FOR YEARS DUE TO OUR DURABLE AUTOMOTIVE GRADE POWDER COAT FINISH.

STORES DISCREETLY WHEN NOT IN USE.

MOUNTING HARDWARE INCLUDED.

CRANK HANDLE INCLUDED ON TWO PACKS.


UF# 48-979006 - 24" Single Pack (no handle)

UF# 48-979002 - 24" Twin Pack (with handle)

UF# 48-979032 - 30" Single Pack (no handle)

UF# 48-979031 - 30" Twin Pack (with handle)

UF# 48-879100 - Replacement Handle



SUPPORTS & STABILIZES  
UP TO 6,500 LB EACH



## Stacker Jacks

SUPER TOUGH, DIE CAST ALUMINUM CONSTRUCTION  
EXTENDS FROM 11" TO 17"

PERFECT FOR TRAILER STABILIZATION

EASY TO SET UP AND ADJUST

ADJUSTABLE HANDLES

STACKABLE UNITS TAKE UP MINIMAL STORAGE SPACE  
NOT AN AUTOMOTIVE JACK STAND

UF# 48-979003 - Twin Pack

UF# 48-979004 - Four Pack



EACH JACK  
SUPPORTS UP  
TO 6,000 LB



FOR STABILIZING ONLY-NOT FOR LIFTING

# FIRST AND ONLY DOUBLE-NUT SCISSOR JACK FOR FASTEST OPERATION

CUTS EXTENSION AND RETRACTION TIME BY 90%

## T-Slot Drill Attachment

ELIMINATES STRAIN AND EFFORT  
TOUGH ZINC PLATED ALL  
STEEL CONSTRUCTION  
ADAPTER FITS 3/8" DRILLS

UF# 48-979071



## J-Hook Drill Attachment

ELIMINATES STRAIN AND EFFORT  
TOUGH ZINC PLATED ALL  
STEEL CONSTRUCTION  
ADAPTER FITS 3/8" DRILLS

UF# 48-979070



## Speed Socket

ELIMINATES STRAIN AND EFFORT  
TOUGH ZINC PLATED ALL STEEL CONSTRUCTION  
NON-SLIP SHANK  
ADAPTER FITS ALL 3/8" DRILLS  
2 PIECE CONSTRUCTION

UF# 48-979005







**Ultra-fab**

***The Ultimate in Stabilization***

# Eliminator II

*Stabilizing System*



UF# 48-979080

UF# 48-979081

**Side  
to Side**

*System*

**Front  
to Back**

*System*

# Leveling

## PowerTwin II


UNIQUE DESIGN STOPS FRONT-TO-BACK AND SIDE-TO-SIDE  
MOTION  
POWERFUL, DUAL ELECTRIC MOTORS UTILIZE 12 VOLT OPERATION  
FITS MOST TOWABLE RV FRAME TYPES  
EXTRA LARGE FOOTPADS PROVIDE FIRM FOUNDATION  
UNIVERSAL CONNECTING BRACKET INCLUDED  
INDEPENDENT LIFTING AND LEVELING AT THE FLIP OF A SWITCH  
LIFTS UP TO 6,000 LB PER LEG (SEE CHART)  
DURABLE POWDER COATED FINISH

UF# 39-941705 - PT II-30  
UF# 39-941707 - PT II-22

## DUAL MOTOR OPERATION


**PT II-30:** Fits travel trailers and fifth wheels with frames from 48" to 80" and features up to 30" of leg extension.

**PT II-22:** Fits low profile travel trailers, 5th Wheels and Class C motorhomes with frames from 42" to 77" and features 22" of leg extension.



LIFTS, LEVELS & STABILIZES

### Power Twin II Power Curve








**Ultra-Fab**

## **Leveling Blocks**

INTERLOCKING BLOCKS ARE STACKABLE  
IN A NUMBER OF CONFIGURATIONS  
BLOCKS MEASURE 8.3125" x 8.3125"  
30,000 LB WEIGHT CAPACITY  
COMES IN 4, 8 OR 10 PACK WITH  
HANDY CARRYING/STORAGE BAG

UF# 48-979050 - Four Pack  
UF# 48-979051 - Ten Pack  
UF# 48-979052 - Eight Pack




# **Leveling**



**PERFECT FOR LEVELING YOUR ENTIRE RV!**

**SIMPLY STACK LEVELERS TO  
DESIRED HEIGHT AND PULL  
FORWARD...IT'S THAT EASY.**





# 5<sup>th</sup> Wheel Accessories



## Deluxe 5th Wheel Landing Gear

TWO POWERFUL 12 VOLT MOTORS ELIMINATE HAND-CRANKING LIFTS AND LEVELS 5TH WHEEL AT THE FLIP OF A SWITCH  
BUILT-IN CLUTCH RATCHETS TO PREVENT DAMAGE  
ALLOWS FOR INDEPENDENT POSITIONING OF FOOT PADS, ESPECIALLY ON UNEVEN SURFACES  
FEATURES 21" DOWN-STROKE PLUS ADJUSTABLE EXTENSIONS, CREATING UP TO 38" OF TOTAL LIFT  
36.5" OVERALL RETRACTED LENGTH

**12,000 LB COMBINED  
LIFTING CAPACITY**

UF# 17-943010

## Adjustable Footpad\*

FITS STANDARD RV LANDING GEAR  
HEAVY DUTY STEEL CONSTRUCTION  
ELIMINATES TRAILER SINKING ON SOFT SURFACES  
EXTRA LARGE 8" X 5" FOOTPRINT SPREADS THE TRAILER'S WEIGHT PROPORTIONALLY  
NO NEED TO CARRY CUMBERSOME WOOD BLOCKS  
INCLUDES VERTICAL FINE-TUNE ADJUSTMENT FOR FINAL LEVELING

UF# 17-940007

**ADJUSTABLE SPINDLE  
MAKES SETUP EASIER**



## 5th Wheel Quick Pin\*

7/16" AND 3/8" PIN SIZE AVAILABLE  
BOLTS ON  
QUICKLY ADJUSTS LANDING GEAR LEGS  
HEAVY DUTY ZINC PLATED  
STEEL CONSTRUCTION  
INSTALLS IN MINUTES

UF# 17-943032 - 7/16" 2 Pack  
UF# 17-943031 - 3/8" 2 Pack



## Wire Lock Pin\*

UF# 38-141023



## Fixed Footpad\*

FITS STANDARD RV LANDING GEAR  
HEAVY DUTY STEEL CONSTRUCTION  
ELIMINATES TRAILER SINKING ON SOFT SURFACES  
EXTRA LARGE 8" X 5" FOOTPRINT SPREADS THE TRAILER'S WEIGHT PROPORTIONALLY  
NO NEED TO CARRY CUMBERSOME WOOD BLOCKS

UF# 17-940006

**\*NOT FOR USE WITH  
OTHER MANUFACTURERS'  
MANUAL LANDING GEAR**



# We know Jacks

**DEMAND THE BRAND WITH  
THE LONGEST WARRANTIES**



## Ultra Series 3502

3,500 LB LIFT CAPACITY  
ZERK FITTING  
FITS 2" AND 2.25" MOUNTING HOLES  
TRAVELS 10" IN 50 SECONDS  
18" OF TRAVEL  
6" DIAMETER FOOTPAD PREVENTS SINKING  
DIE-CAST ALUMINUM CAP  
HARDENED STEEL GEARS  
DUAL SITE-LITES™ PROVIDE HANDY ILLUMINATION  
WATER RESISTANT MOTOR & GEAR HOUSING  
EMERGENCY CRANK SOCKET INCLUDED  
POSITIVE AND NEGATIVE WIRES FOR DIRECT GROUNDING


UF# 38-944017

## Ultra 3502-7

ALL THE FEATURES OF 3502 PLUS...  
4 FOOT, 7 WAY PLUG  
PERFECT FOR TRAILERS WITH NO ON-BOARD BATTERY

UF# 38-944037

### ULTRA 3502



## Ultra Series 4000


4,000LB CAPACITY  
ZERK FITTING  
2.25" OUTER TUBE  
TRAVELS 10" IN 40 SECONDS  
18" OF TRAVEL  
6" DIAMETER QUICK-DROP FOOTPAD ADDS 5.5" EXTENSION  
HARDENED STEEL GEARS  
LED LAMP PROJECTS LIGHT IN 4 DIRECTIONS  
WATER RESISTANT MOTOR AND GEAR HOUSING  
EMERGENCY CRANK SOCKET INCLUDED  
POSITIVE AND NEGATIVE WIRES FOR DIRECT GROUNDING

UF# 38-944014

**4,000 LB  
LIFT  
CAPACITY**



### ULTRA 3502



**THE FIRST AND  
ONLY JACKS WITH  
GREASEABLE SHAFT  
FOR MAXIMUM  
LIFESPAN**

*ALL ULTRA-SERIES JACKS*





# The Phoenix

**Make the smart Decision  
Buy a truly intelligent jack**



**Fastest and Quietest Jack  
2 Memory Settings  
Auto extend and retract**

ELECTRONIC CONTROL PANEL - NO EXTERNAL SWITCHES  
4000 TRAVELS 10" IN 18 SECONDS  
6" (4000) DIAMETER ADJUSTABLE FOOTPAD  
PROVIDES AN EXTRA 5.5" OF TRAVEL  
BUILT-IN LED LIGHT FOR NIGHT OPERATION  
EMERGENCY CRANK SOCKET INCLUDED  
BALL SCREW TECHNOLOGY  
DURABLE POWDER COATED FINISH  
STRONG 2.25" OUTER TUBE

UF# 38-944040 - Phoenix 4000



Must Activate Online  
Within 90 Days Of Purchase

**Strongest Jack for RVs**

AUTO EXTEND/RETRACT  
5500 TRAVELS 10" IN 47 SECONDS  
2 MEMORY SETTINGS: HITCH HEIGHT & WDH HEIGHT  
7" DIAMETER ADJUSTABLE FOOTPAD  
PROVIDES AN EXTRA 5.5" OF TRAVEL  
BUILT-IN LED LIGHT FOR NIGHT OPERATION  
EMERGENCY CRANK SOCKET INCLUDED  
BALL SCREW TECHNOLOGY  
DURABLE POWDER COATED FINISH  
STRONG 2.25" OUTER TUBE  
INCLUDES REMOTE CONTROL

UF# 38-944055 - Phoenix 5500



**Tongue Jack Protective Covers**

HIGH QUALITY OXFORD CLOTH KNOWN FOR ITS ABILITY  
TO PROTECT WATER PROTECTION AND SUN PROTECTION

2 SUPER STRONG GROMMETS  
TO STORE SAFETY CHAINS



**COVER**  
(10.5" W x 13.75" T)  
UF# 38-944020

**XL COVER**  
(14.5" W x 17.5" T)  
UF# 38-944026



# Manual Jacks

## Topwind Tongue Jack

E-Z GRIP ROTATING HANDLE  
DURABLE POWDER COATED FINISH  
HEAVY DUTY STEEL CONSTRUCTION  
UNIVERSAL MOUNTING FLANGE  
USES 3/8" BOLTS (NOT INCLUDED)

UF# 49-954032 - 2" - 1,000 Lb Model  
UF# 49-954033 - 2.25" - 2,000 Lb Model  
UF# 49-954050 - 2.25" - 5,000 Lb Model



## Tongue Jack Footpad

PREVENTS JACK FROM SINKING  
HEAVY DUTY STEEL CONSTRUCTION  
DURABLE POWDER COATED FINISH  
ATTACHES TO JACK VIA CROSS AND PINCLIP (INCLUDED)  
EASY INSTALLATION

UF# 49-954037 - Fits 2" Jack w/Inner Tube OD 1.75"  
UF# 49-954038 - Fits 2.25" Jack w/Inner Tube OD 2"



## Tongue Jack Caster Wheel

SMOOTH, EFFORTLESS MOVEMENT  
NYLON BEARINGS  
DURABLE POWDER COATED FINISH  
TOUGH PLASTIC WHEEL  
ATTACHES TO JACK VIA CROSS AND PINCLIP (INCLUDED)  
EASY INSTALLATION

UF# 49-954035 - Fits 2" Jack w/Inner Tube OD 1.75"  
UF# 49-954036 - Fits 2.25" Jack w/Inner Tube OD 2"

**650 LB  
TONGUE WEIGHT  
CAPACITY**



## Sidewind Tongue Jack

ALL METAL GEARS  
E-Z GRIP ROTATING HANDLE  
DURABLE POWDER COATED FINISH  
HEAVY DUTY STEEL CONSTRUCTION  
UNIVERSAL MOUNTING FLANGE  
USES 3/8" BOLTS (NOT INCLUDED)

UF# 49-954030 - 2" - 1,000 Lb Model  
UF# 49-954031 - 2.25" - 2,000 Lb Model



## Sidewind Swivel Marine Tongue Jack

ALL METAL GEARS  
E-Z GRIP ROTATING HANDLE  
HEAVY DUTY STEEL CONSTRUCTION  
UNIVERSAL MOUNTING FLANGE  
WORM GEAR JACKING MECHANISM WON'T SLIP  
WHEEL ATTACHED  
MOUNTING HARDWARE INCLUDED

UF# 49-954034

**1,000 LB  
LIFT CAPACITY**





# Security

## Megahitch Coupler Vault

STRONGEST COUPLER LOCK AVAILABLE  
PRACTICALLY IMPOSSIBLE TO CUT, PRY OR BREAK  
SOLID STEEL CONSTRUCTION  
WEATHER RESISTANT POWDER COATING



UF# 35-946510 - Combo Kit

### HEAVY-DUTY PROTECTION FOR PARKED TOWABLES



THE ADJUSTABLE, HIGH-DENSITY  
ACETATE BALL SYSTEM FITS INTO THE  
COUPLER THE SAME WAY AS YOUR HITCH  
BALL.



PATENTED DESIGN AND SOLID  
STEEL CONSTRUCTION MAKE IT ALL  
BUT IMPOSSIBLE FOR THIEVES TO  
CUT, PRY OR DISABLE THE LOCK.



# THE COUPLER LOCK YOU CAN'T BREAK WITHOUT A CUTTING TORCH



## 5<sup>th</sup> Wheel Locking Cup

FITS OVER KING PIN TO  
PREVENT ILLEGAL HOOK-UP  
PADLOCK INCLUDED  
EASY TO INSTALL AND USE

UF# 48-979008



# Skid Wheels

2 WHEELS PER CARTON



## Ultra-Fab Micro Steel Roller

2" WHEEL WIDTH, 2" DIAMETER  
EXTRA-TOUGH ALL-STEEL CONSTRUCTION  
FOR ALL MOTORHOMES, TRAILERS AND 5TH WHEELS  
QUARTER INCH STEEL MOUNTING BRACKET  
WELDS ON  
ONE PER CARTON  
GREASE/ZERK FITTING 2.25"


UF# 48-979021



## Hitch Mount Steel Roller

2.25" WHEEL WIDTH, 2.9375" DIAMETER  
HEAVY DUTY STEEL CONSTRUCTION  
FOR USE ON ALL MOTORHOMES, TRAVEL TRAILERS  
AND 5TH WHEELS  
HELPS PREVENT COSTLY DAMAGE  
TWO PER CARTON

UF# 48-979017 - Fits 2.25" hitch bars  
UF# 48-979018 - Fits 3" hitch bars



3.125"

## Mini Steel Roller

1.5" WHEEL WIDTH, 2.5" DIAMETER  
EXTRA-TOUGH SOLID STEEL CONSTRUCTION  
FOR ALL MOTORHOMES, TRAILERS AND 5TH WHEELS  
QUARTER INCH STEEL MOUNTING BRACKET  
WELDS ON  
ONE PER CARTON

UF# 48-979022




2.875"



## Receiver Mount Protector

2.25" WHEEL WIDTH, 2" DIAMETER  
HEAVY DUTY STEEL CONSTRUCTION  
INSTALLS IN SECONDS  
FOR USE ON ALL MOTORHOMES, TRAVEL TRAILERS  
AND 5TH WHEELS  
HELPS PREVENT COSTLY DAMAGE  
HITCH PIN NOT INCLUDED  
ONE PER CARTON

UF# 48-979020



2.25"

## Jumbo Steel Roller

2.5" WHEEL WIDTH, 3" DIAMETER  
EXTRA-TOUGH ALL-STEEL CONSTRUCTION  
FOR ALL MOTORHOMES, TRAILERS AND 5TH WHEELS  
QUARTER INCH STEEL MOUNTING BRACKET  
WELDS ON  
ONE PER CARTON  
GREASE/ZERK FITTING 3.3125"

UF# 48-979023



3.3125"

## Skid Wheels

DROP FORGED CASTER IS SUPERIOR IN STRENGTH  
TO OTHER CASTERS  
EXTRA STRONG METAL WHEELS WITH ROLLER  
BEARINGS AND .25" URETHANE ON OUTER EDGE  
PREVENTS TAIL DRAGGING AND DIGGING  
WHILE BACKING UP  
HELPS PROTECT UNDERCARRIAGE FROM DAMAGE  
EASY BOLT-ON INSTALLATION



7.75"

6" Swivel  
UF# 48-979013



7.25"

5" Swivel  
UF# 48-979012



5.5"

4" Swivel  
UF# 48-979011



4.75"

4" Rigid  
UF# 48-979015



5.5"

4" Swivel Hitch Mount  
UF# 48-979014

SWIVEL SKID WHEELS BOLT TO A WELD-ON PLATE




# Cargo Management



## RV Bumper Receiver Adapter

FITS 4" SQUARE RV BUMPERS  
DURABLE POWDER COATED FINISH  
200 LB TONGUE WEIGHT CAPACITY  
ACCEPTS 2" CARRIER TUBES  
ZINC PLATED HARDWARE INCLUDED  
NOT RECOMMENDED FOR TOWING

UF# 35-946401



**BOLTS ON**



## Universal Hitch

3,500 LB LIGHT DUTY TRAILER TOWING CAPACITY  
350 LB TONGUE WEIGHT CAPACITY  
2" SQUARE RECEIVER OPENING  
U-BOLTS MOUNT TO 4" SQUARE BUMPERS  
EASY BOLT-ON INSTALLATION  
INCLUDES MOUNTING HARDWARE AND U-BOLTS  
DURABLE POWDER COATED FINISH

UF# 35-946402

**TOTAL WEIGHT MAY NOT EXCEED  
EXISTING BUMPER RATING**

**BOLTS ON**



**3,500 LB LIGHT DUTY TRAILER TOWING CAPACITY**

## WELDS ON STANDARD 2" RECEIVER **Accessory Adapter**



USED FOR BIKE AND CARGO CARRIERS  
FOR LIGHT DUTY TRAILERS  
CLASS 2 HITCH  
HEAVY DUTY STEEL CONSTRUCTION  
DURABLE POWDER COATED FINISH  
ADJUSTS FROM 47.125" TO 77"  
300 LB TONGUE WEIGHT CAPACITY  
ENGINEERED TO FIT MOST RV FRAMES

UF# 35-946403





## Ultra-Fab Ultra Cargo Carriers

RUGGED STEEL CONSTRUCTION  
DURABLE POWDER COATED FINISH  
METAL MESH PLATFORM ELIMINATES STANDING WATER  
CONVENIENT TIE-DOWN UTILITY HOLES  
FITS 2" RECEIVER HITCH

UF# 48-979029 - 19.25" x 60"  
UF# 48-979025 - 23.25" x 60"

**TWO SIZES AVAILABLE**



19.25"  
OR  
23.25"

**500 LB CAPACITY**

4" FROM HITCHPIN  
HOLE TO CARRIER



60"



**INDEPENDENT  
LABORATORY  
TESTED**

## Optional Cargo Carrier Bike Rack Accessory


RUGGED STEEL CONSTRUCTION  
DURABLE POWDER COATED FINISH  
CONVENIENT TIE-DOWN STRAP INCLUDED  
LIGHTWEIGHT FOR EASY MOUNTING  
INSTALLS EASILY IN JUST MINUTES

**HOLDS UP TO 3 BIKES**

UF# 48-979030







**HEAVY DUTY CONSTRUCTION**

## Ultra MX Hauler

SECURELY HOLDS DIRT BIKE FOR TRANSPORT OR MAKING REPAIRS

HEAVY DUTY STEEL CONSTRUCTION

EASY ASSEMBLY, BOLTS TOGETHER

MOUNTS IN STANDARD 2" RECEIVERS

37.5" RAMP WORKS ON EITHER SIDE OF CARRIER

DURABLE POWDER COATED FINISH

500 LB LOAD CAPACITY

UF# 48-979033

**TIE-DOWN STRAPS NOT INCLUDED**



## Universal RV Tire Carrier

EASILY CONVERTS FROM FIXED TO FOLD-DOWN FOR EASY ACCESS TO REAR STORAGE COMPARTMENT

HEAVY DUTY STEEL CONSTRUCTION


DURABLE POWDER COATED FINISH

BOLTS TO 4" SQUARE BUMPERS

FITS TRAVEL TRAILER WHEELS

60 LB CAPACITY

UF# 15-954730



## Tow Dolly Tie-Down Strap

UNIVERSAL DESIGN FITS 14" TO 16" TIRES

QUICKLY FITS AND ADJUSTS TO TIRE

ONE PIECE DESIGN - NO PRE-ASSEMBLY REQUIRED

TOUGH, NON-ABRASIVE NYLON

HEAVY DUTY METAL HOOKS ATTACHES

ON DRIVER OR PASSENGER SIDE

HEAVY-DUTY 5,000 LB CAPACITY

COMPATIBLE WITH MOST TOW DOLLIES

ONE PER PACKAGE

UF# 46-700034





**Ultra-Fab**

# Bug Stopper Screens

KEEPS OUT MUD DAUBERS, WASPS, MICE AND BIRDS

DOES NOT BLOCK AIR FLOW

HEAVY DUTY STAINLESS STEEL

EASY TO INSTALL

**LARGE SELECTION OF PROTECTIVE SCREENS FOR REFRIGERATORS, FURNACES, STOVES, WATER HEATERS AND PLUMBING VENTS**



**10.5" X 4"**  
UF# 53-945300



**9.5" X 7"**  
UF# 53-945410




**27.5" X 1.3125"**  
UF# 53-945230



**6.5" X 6.5"**  
UF# 53-945420



**6.75" X 5"**  
UF# 53-945150



**8.5" X 5.5"**  
UF# 53-945400



**4" ROUND**  
UF# 53-945130



**7.25" X 4"**  
UF# 53-945100



**2.75" ROUND**  
UF# 53-945110



**4.75" X 4.5"**  
UF# 53-945120



**6" ROUND**  
UF# 53-945140



**4.5" X 4.5"**  
UF# 53-945430



**8" X 1.5"**  
UF# 53-945220



**20" X 1.5"**  
UF# 53-945200



**20" X 1.25"**  
UF# 53-945210



# Accessories



## **Universal Access Door**

**BUILT-IN LOCK SECURES IMPORTANT CARGO AREAS  
(NOT KEYED ALIKE)**

**FOR USE ON ALL RVs, TRUCKS, CARGO HAULERS,  
TRAILERS AND SPECIALTY VEHICLES OF ALL TYPES**

**EASY INSTALLATION**

**5" X 5" OPENING, 8" X 7" FRAME**

UF# 48-979009 - White

UF# 48-979010 - Chrome

***EASY TO INSTALL***



## **Mini Solar Plumbing Vent**

**AUTOMATICALLY REMOVES RV PLUMBING  
ODORS AND MOISTURE**

**SILENT AND RELIABLE VENTILATION**

**AERODYNAMIC FOR LESS DRAG CO-EFFICIENCY**

**UNIVERSAL DESIGN REPLACES MOST RV PLUMBING CAPS**

**INSTALLS EASILY ON ROOF TOP**

**NO WIRING REQUIRED**

**SOLAR POWERED START AND STOP**

UF# 53-945001

***OPERATES ON  
SOLAR POWER***





# ***Planograms***

***THE MOST PROFITABLE  
SECTION IN YOUR STORE***

***GUARANTEED SALES***

***6 MONTH REVIEW  
PRODUCT LIFT OFFERED***

## **3' BUG STOPPER END CAP**



UF# 53-000003







**PURCHASE  
3 DIFFERENT  
MODEL JACKS  
& RECEIVE A  
FREE TOWER**



**SHELF TALKERS**

# POP Displays

## TONGUE JACK TOWER

DISPLAY ULTRA-FAB'S FULL LINE OF JACKS IN A 10" x 10" FOOTPRINT  
COVERS MAJOR BENEFITS OF EACH MODEL

ATTRACTS ATTENTION TO THIS HIGHLY PROFITABLE SECTION WITHOUT GIVING UP A LOT OF STORE SPACE

FULL DISPLAY - PURCHASE ONE OF EACH MODEL

STAND ONLY - PURCHASE ANY 4 JACKS



## POSTER FLOOR STAND

DOUBLE-SIDED VIEWING

TOP LOADS FOAM CORE BOARDS

SILVER FINISH



**STOCK THE PRODUCT  
WE'LL PROVIDE SHELF  
TALKERS AT  
NO CHARGE**

19-960101 ShelfTalker - Slide-Out-Supports

21-001011 ShelfTalker - SuperGrip Tire Locking Chocks



**BUY 6, GET  
DISPLAYER AT  
NO CHARGE**

53-945082 Solar Vent Displayer



# Carry-All Bags

KEEP DIRT AND GRIME OUT OF STORAGE AREA  
PREVENTS CHOCKS FROM DAMAGING OTHER  
ITEMS

UNIVERSAL STORAGE FOR MOST BRANDS  
MADE OF DURABLE OXFORD CLOTH  
SAVES WEAR AND TEAR  
SEPERATE COMPARTMENT FOR RATCHET & PADLOCK  
ALSO PERFECT FOR STORING OTHER ITEMS  
VELCRO HANDLE WRAP  
32" X 6" X 6"

21-001097  
19-950800  
19-960004

Tire Locking Chock Carry All  
Tripod Carry-All  
Slide Out Support Carry All



Tire Locking Chock  
Carry-All  
UF# 21-001097



Slide-Out Support  
Carry-All  
UF# 53-960004



Tripod  
Carry-All  
UF# 19-950800



## Tongue Jack Protective Covers

HIGH QUALITY OXFORD CLOTH KNOWN FOR ITS ABILITY  
TO PROTECT WATER PROTECTION AND SUN PROTECTION

2 SUPER STRONG GROMMETS  
TO STORE SAFETY CHAINS



COVER  
(10.5" W x 13.75" T)  
UF# 38-944020

XL COVER  
(14.5" W x 17.5" T)  
UF# 38-944026




WATCH VIDEO  
TONGUE JACK COVERS



# ***BRAKES***

**AUTOMOTIVE GRADE FRICTION  
MATERIAL MOLDED TO BRAKE SHOES  
PADS ARE FULLY BONDED TO SHOES FOR  
LONG LIFE AND MORE BRAKING TORQUE  
REDUCED CRACKING AND CRUMBLING  
THAT CAN LEAD TO FAILURE**



## **MANUAL ADJUST - BULK**

48-979110	BRAKE - ELECTRIC - LH 10"X2.25 3.5K
48-979111	BRAKE - ELECTRIC - RH 10"X2.25 3.5K
48-979112	BRAKE - ELECTRIC - LH 12"X2 6K
48-979113	BRAKE - ELECTRIC - RH 12"X2 6K
48-979114	BRAKE - ELECTRIC - LH 12X2 7K
48-979115	BRAKE - ELECTRIC - RH 12X2 7K

## **MANUAL ADJUST - BOXED**

48-979150	BRAKE - ELECTRIC - LH 10"X2.25" 3.5K
48-979151	BRAKE - ELECTRIC - RH 10"X2.25" 3.5K
48-979152	BRAKE - ELECTRIC - LH 12"X2 6K
48-979153	BRAKE - ELECTRIC - RH 12"X2 6K
48-979154	BRAKE - ELECTRIC - LH 12X2 7K
48-979155	BRAKE - ELECTRIC - RH 12X2 7K

## **SELF ADJUST - BULK**

48-979210	BRAKE, SELF-ADJUSTING, 10" LH, 10"x2.25" 3.5K
48-979211	BRAKE, SELF-ADJUSTING, 10" RH, 10"x2.25" 3.5K
48-979214	BRAKE, SELF-ADJUSTING, 12" LH, 12"x2", 7K
48-979215	BRAKE, SELF-ADJUSTING, 12" RH, 12"x2", 7K

## **SELF ADJUST - BOXED**

48-979250	BRAKE, SELF-ADJUSTING, 10" LH, 10"x2.25" 3.5K
48-979251	BRAKE, SELF-ADJUSTING, 10" RH, 10"x2.25" 3.5K
48-979254	BRAKE, SELF-ADJUSTING, 12" LH, 12"x2", 7K
48-979255	BRAKE, SELF-ADJUSTING, 12" RH, 12"x2", 7K



# HUBS / DRUMS



PROFESSIONALLY ENGINEERED  
FULLY INCORPORATED CASTING  
& MACHINING

AUTOMATED DIE COMPRESSION  
FOR ADVANCED SAND SOLIDITY

DURABLE CONSTRUCTION FOR LONGER  
LIFE.

BACKED BY ULTRA-FAB'S FAMOUS  
QUALITY AND CUSTOMER SERVICE.

SOLID GREY IRON STRUCTURE.

5-YEAR WARRANTY



UF # 48-979500

HUB/DRUM, 3500 LB CAPACITY, 5 STUDS ON 4.5"  
BOLT CENTER. 1/2 - 20 THREADED BOLTS, FOR 10" BRAKES

UF # 48-979501

HUB/DRUM, 6000 LB CAPACITY, 6 STUDS ON 5.5"  
BOLT CENTER. 1/2 - 20 THREADED BOLTS, FOR 12" BRAKES

UF # 48-979502

HUB/DRUM, 7000 LB CAPACITY, 8 STUDS ON 6.5"  
BOLT CENTER. 1/2 - 20 THREADED BOLTS., FOR 12" BRAKES

UF # 48-979503

HUB/DRUM, 7,000 LB CAPACITY, 8 STUDS ON 6.5"  
BOLT CENTER. 9/16"-18 THREADED BOLTS, FOR 12" BRAKES

# POWER MOVER

FOR MOVING TRAVEL TRAILERS,  
FIFTH WHEEL, GOOSENECK  
TRAILERS AND MORE



- QUAD BATTERIES FOR RELIABLE POWER
- HYDRAULIC LIFT CREATES MAXIMUM POWER
- ALL TERRAIN TIRE PACKAGE FOR SURE TRACTION
- STROBE LIGHT WITH HORN FOR MAXIMUM SAFETY (OPTIONAL)
- TRAILER BRAKE CONNECTION
- NON MARKETING TIRES (OPTIONAL)
- 2 BUILT IN BATTERY CHARGERS FOR EASY CHARGING
- POWER LEVEL INDICATOR SO YOU DON'T GET SURPRISED
- 2-5/16" BALL PROVIDED FOR USE WITH GOOSENECKS
- REVERSING SWITCH FOR SAFETY

CALL FOR QUOTE (574.294.7571)



Model 7900  
Shown

				
	5900	6900	6900 EXT	7900
DESIGNED FOR	TRAVEL TRAILER	TRAVEL TRAILER	INDUSTRIAL	FIFTH WHEEL & TRAVEL TRAILER
ALL TERRAIN TIRES BETTER TRACTION	OPT	NOT NEEDED	NOT NEEDED	NOT NEEDED
FOAM FILLED TIRES TO PREVENT BLOWOUTS	OPT	INCLUDED	INCLUDED	INCLUDED

THE SAFEST WAY TO MOVE  
TRAILERS, HORSE TRAILERS &  
FIFTH WHEELS ON YOUR LOT