



ULTRA-FAB



CREATING NEW OPPORTUNITIES FOR PROFITS





Ultra Series



Ultra-Series Tongue Jacks

The Only Jacks That Allow For Greasing Of Inner Tube.

Patented Grease Zerk Massively Extends Jack Life.

All Steel Gears For Longer Life.

Water Resistant Motor And Gears.

18" Travel For Easy Hook-Up.

Durable Crank Socket For Emergency Operation Without Power.

Durable Powder Coated Finish.

Direct wiring for trouble free operation.

18" travel for easy hook-up.

3,500 lb capacity Models / 2.25" Outer Tube

38-944060

Designed With 2.25" Outer Tube.

Dropleg Add 5.5" Additional Travel.

Dual Site-Lites Provide Handy Illumination.

3,500 lb capacity Models / 2" Outer Tube

38-944017 2" Outer Tube

38-944037 With 7-Way Connector

Designed For 2" or 2.25" Coupler Hole.

6" Diameter Footpad Prevents Sinking.

Dual Site-Lites Provide Handy Illumination.

Ultra-Series Tongue Jack (2.25" Outer Tube)

4,000 lb capacity

38-944014

6" Diameter Footpad Prevents Sinking.

Drop Leg Adds 5.5" Additional Travel.

Bright LED Lamps Project Light In 4 Directions For Easier Nighttime Operation.



**ON ALL
ULTRA-SERIES
JACKS**

ULTRA-SERIES LAST LONGER BECAUSE OF THE PATENTED ZERK FITTING

Most jacks break down because of the grease on the inner tube wearing out. We have solved that problem.



The Phoenix



Make The Smart Decision Buy A Truly Intelligent Jack

Fastest And Quietest Jack 2 Memory Settings Auto Extend And Retract

Electronic Control Panel - No External Switches
4000 Travels 10" in 18 Seconds
6" (4000) Diameter Adjustable Footpad
Provides An Extra 5.5" Of Travel
Built-In LED Light For Night Operation
Emergency Crank Socket Included
Ball Screw Technology
Strong 2.25" Outer Tube

UF# 38-944040 - Phoenix 4000



Must Activate Online
Within 90 Days Of Purchase

Strongest Electric Tongue Jack

Auto Extend/Retract
2 Memory Settings: Hitch Height & WDH Height
7" Diameter Adjustable Footpad
Provides An Extra 5.5" Of Travel
Built-In LED Light For Night Operation
Emergency Crank Socket Included
Ball Screw Technology
Strong 2.25" Outer Tube
Includes remote control

UF# 38-944055 - Phoenix 5500



Tongue Jack Protective Covers

STURDY COVER WITH HANDY DRAWSTRING PROTECTS JACK FROM THE ELEMENTS

XL COVER

(14.5" W x 17.5" T)
UF# 38-944026

COVER

(10.5" W x 13.75" T)
UF# 38-944020





SCISSOR JACKS

Scissor Jacks

Heavy Duty Steel Construction
Durable Powder Coated Finish
Bolts Or Welds To Frame (Bolts Not Included)
3.5" x 7" Multi-Hole Mounting Plates
4.5" x 9" Footpad To Combat Sinking And Tilting
Strong Worm Gear Will Not Slip

UF# 48-979006 - 24" Single Pack (no handle)
UF# 48-979002 - 24" Twin Pack (with handle)
UF# 48-979032 - 30" Single Pack (no handle)
UF# 48-979031 - 30" Twin Pack (with handle)
UF# 48-879100 - Replacement Handle



SUPPORTS & STABILIZES UP TO 6,500 LB



**FIRST AND
ONLY
DOUBLE-NUT
SCISSOR JACK
FOR FASTEST
OPERATION**



T-Slot Drill Attachment

Eliminates Strain And Effort
Tough Zinc Plated All Steel Construction
Adapter Fits 3/8" Drills

UF# 48-979071



J-Hook Drill Attachment

Eliminates Strain And Effort
Tough Zinc Plated All Steel Construction
Adapter Fits 3/8" Drills

UF# 48-979070



Speed Socket

Eliminates Strain And Effort
Tough Zinc Plated All Steel Construction
Non-Slip Shank
Adapter Fits All 3/8" Drills

UF# 48-979005



Leveling

PowerTwin II



Unique Design Stops Front-To-Back And Side-To-Side Motion

Powerful, Dual Electric Motors Utilize 12 Volt Operation

Fits Most Towable RV Frame Types

Extra Large Footpads Provide Firm Foundation

Universal Connecting Bracket Included

Independent Lifting And Leveling At The Flip Of A Switch


Lifts Up To 6,000 Lb Per Leg (See Chart)

Durable Powder Coated Finish



LIFTS, LEVELS & STABILIZES

DUAL MOTOR OPERATION



UF# 39-941705 - PT II-30

UF# 39-941707 - PT II-22



PT II-30: Fits travel trailers and fifth wheels with frames from 48" to 80" and features up to 30" of leg extension.

PT II-22: Fits low profile travel trailers, 5th Wheels and Class C motorhomes with frames from 42" to 77" and features 22" of leg extension.



Deluxe 5th Wheel Landing Gear

Two Powerful 12 Volt Motors Eliminate Hand-Cranking
Lifts And Levels 5th Wheel At The Flip Of A Switch

Built-In Clutch Ratchets To Prevent Damage

Allows For Independent Positioning Of Foot Pads, Especially On Uneven Surfaces

Features 21" Down-Stroke Plus Adjustable Extensions, Creating Up To 38" Of Total Lift
36.5" Overall Retracted Length

UF# 17-943010



**12,000 LB COMBINED
LIFTING CAPACITY**

5th Wheel Quick Pin*



7/16" And 3/8" Pin Size Available

Bolts On

Quickly Adjusts Landing Gear Legs

Heavy Duty Zinc Plated Steel Construction

Installs In Minutes

UF# 17-943032 - 7/16" 2 Pack

UF# 17-943031 - 3/8" 2 Pack



Adjustable Footpad*

Fits Standard RV Landing Gear

Heavy Duty Steel Construction

Eliminates Trailer Sinking On Soft Surfaces

Extra Large 8" x 5" Footprint Spreads The Trailer's Weight Proportionally

No Need To Carry Cumbersome Wood Blocks

Includes Vertical Fine-Tune Adjustment For Final Leveling

UF# 17-940007



**ADJUSTABLE SPINDLE
MAKES SETUP EASIER**



Fixed Footpad*

Fits Standard RV Landing Gear

Heavy Duty Steel Construction

Eliminates Trailer Sinking On Soft Surfaces

Extra Large 8" x 5" Footprint Spreads The Trailer's Weight Proportionally

No Need To Carry Cumbersome Wood Blocks

UF# 17-940006





Manual Jacks

Tongue Jack Footpad



Topwind Tongue Jack

All Metal Gears
E-Z Grip Rotating Handle
Durable Powder Coated Finish
Heavy Duty Steel Construction
Universal Mounting Flange
Uses 3/8" Bolts (Not Included)

Prevents Jack From Sinking
Heavy Duty Steel Construction
Durable Powder Coated Finish
Attaches To Jack Via Cross And Pinclip (Included)
Easy Installation

UF# 49-954037 - Fits 2" Jack w/Inner Tube OD 1.75"
UF# 49-954038 - Fits 2.25" Jack w/Inner Tube OD 2"



UF# 49-954032 - 2" - 1,000 Lb Model
UF# 49-954033 - 2.25" - 2,000 Lb Model
UF# 49-954050 - 2.25" - 5,000 Lb Model



Sidewind Swivel Marine Tongue Jack

All Metal Gears
E-Z Grip Rotating Handle
Heavy Duty Steel Construction
Universal Mounting Flange
Worm Gear Jacking Mechanism Won't Slip
Wheel Attached
Mounting Hardware Included

UF# 49-954034



**1,000 LB
LIFT CAPACITY**



Sidewind Tongue Jack

All Metal Gears
E-Z Grip Rotating Handle
Durable Powder Coated Finish
Heavy Duty Steel Construction
Universal Mounting Flange
Uses 3/8" Bolts (Not Included)

UF# 49-954030 - 2" - 1,000 Lb Model
UF# 49-954031 - 2.25" - 2,000 Lb Model



Tongue Jack Caster Wheel

Smooth Movement Nylon Bearings
Durable Powder Coated Finish
Tough Plastic Wheel
Attaches To Jack Via Cross And Pinclip (Included)
Easy Installation

**650 LB
TONGUE WEIGHT
CAPACITY**

UF# 49-954035 - Fits 2" Jack w/Inner Tube OD 1.75"
UF# 49-954036 - Fits 2.25" Jack w/Inner Tube OD 2"



Security



Megahitch Coupler Vault

Strongest Coupler Lock Available
Practically Impossible To Cut, Pry Or Break
Solid Steel Construction
Weather Resistant Powder Coating

UF# 35-946510 - Combo Kit

HEAVY-DUTY PROTECTION FOR PARKED TOWABLES

THE ADJUSTABLE, HIGH-DENSITY
ACETATE BALL SYSTEM FITS INTO
THE COUPLER THE SAME WAY AS
YOUR HITCH BALL.



PATENTED DESIGN AND SOLID STEEL
CONSTRUCTION MAKE IT ALL BUT IMPOSSIBLE
FOR THIEVES TO CUT, PRY OR DISABLE THE LOCK.



THE COUPLER LOCK YOU CAN'T BREAK WITHOUT A CUTTING TORCH





Ultra-Fab Micro Steel Roller

2" Wheel Width, 2" Diameter
Tough All-Steel Construction
For Motorhomes, Trailers And 5th Wheels
1/4" Weld On Mounting Bracket
Grease/Zerk Fitting

Retail Pack UF# 48-979021
Bulk Brackets (20pk) UF# 48-979060
Bulk Roller (20pk) UF# 48-979061



Mini Steel Roller

1.5" Wheel Width, 2.5" Diameter
Tough All-Steel Construction
For Motorhomes, Trailers And 5th Wheels
1/4" Weld On Mounting Bracket

Retail Pack UF# 48-979022
Bulk Bracket (20pk) UF# 48-979062
Bulk Roller (20pk) UF# 48-979063




Jumbo Steel Roller

2.5" Wheel Width, 3" Diameter
Tough All-Steel Construction
For Motorhomes, Trailers And 5th Wheels
1/4" Weld On Mounting Bracket
Grease/Zerk Fitting

Retail Pack UF# 48-979023
Bulk Bracket (10pk) UF# 48-979061
Bulk Roller (10pk) UF# 48-979062




Skid Wheels



Hitch Mount Steel Roller

2.25" Wheel Width
2.9375" Diameter
Tough All-Steel Construction
For Use On Motorhomes,
Travel Trailers And 5th Wheels
Two Per Carton

UF# 48-979017 - Fits 2.25" hitch bars
UF# 48-979018 - Fits 3" hitch bars



Receiver Mount Protector

2.25" Wheel Width, 2" Diameter
Tough All-Steel Construction
Installs In Seconds
For Use On Motorhomes, Travel
Trailers And 5th Wheels
Hitch Pin Not Included
One Per Carton

UF# 48-979020



Cargo Management



WELDS ON

STANDARD 2" RECEIVER

Accessory Adapter

3,500 LB LIGHT DUTY TRAILER TOWING CAPACITY

Accessory Adapter

Used For Bike And Cargo Carriers
For Light Duty Trailers
Class 2 Hitch
Heavy Duty Steel Construction
Durable Powder Coated Finish
Adjusts From 47.125" To 77"
300 Lb Tongue Weight Capacity
Engineered To Fit Most RV Frames

UF# 35-946403

Universal Hitch



BOLTS ON

3,500 Lb Trailer Towing Capacity
350 Lb Tongue Weight Capacity
2" Square Receiver Opening
Bolt-on Mounting To 4" Square
Bumpers
Easy Bolt-On Installation
Includes Mounting Hardware
Durable Powder Coated Finish

UF# 35-946402



YOU CAN TAKE IT WITH YOU

RV Bumper Receiver Adapter

Fits 4" Square RV Bumpers
Durable Powder Coated Finish
200 Lb Tongue Weight Capacity
Accepts 2" Carrier Tubes
Zinc Plated Hardware Included
Not Recommended For Towing

UF# 35-946401



BOLTS ON



Ultra-Fab

Universal Access Doors

Keyed Lock Secures Important Cargo Areas
(Not Keyed Alike)

For Use On All RVs, Trucks, Cargo Haulers,
Trailers And Specialty Vehicles Of All Types

Easy Installation

5" x 5" Opening, 8" x 7" Frame

UF# 48-979009 - White

UF# 48-979010 - Chrome



HUB / DRUMS



48-979500

HUB & DRUM-3500LB CAPACITY

5 X 4.5, 1/2"-20

FOR 10" BRAKES

48-979501

HUB & DRUM-6000LB CAPACITY

6 X 5.5, 1/2"-20

FOR 12" BRAKES



48-979502

HUB & DRUM-7000LB CAPACITY

8 X 6.5, 1/2"-20

FOR 12" BRAKES

48-979503

HUB & DRUM-7000LB CAPACITY

8 X 6.5, 9/16"-18

FOR 12" BRAKES



MAXIMIZE YOUR STOPPING POWER

**BETTER STOPPING
POWER WITH GENUINE
ULTRA-FAB PRODUCTS**

**PROFESSIONALLY
ENGINEERED**

**BACKED BY
ULTRA-FAB'S FAMOUS
QUALITY AND
CUSTOMER SERVICE**

**DURABLE
CONSTRUCTION FOR
LONGER LIFE**

**SOLID GREY
IRON STRUCTURE**



Brakes

Light / Medium Duty



**MAXIMUM
QUALITY
INCREDIBLE
WARRANTY**

- **WHEN EVERY SECOND COUNTS, RELY ON ULTRA-FAB BRAKES**
- **REACT QUICKLY TO ROAD HAZARDS**
- **E-COATED TO RESIST RUST**
- **BACKED BY ULTRA-FAB'S**
- **RENOWNED CUSTOMER SERVICE.**

MANUAL ADJUST BRAKES

BOXED

UF# 48-979150 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979151 RIGHT / PASSENGER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979152 LEFT / DRIVER'S SIDE, 12" X 2", 6000LB CAP
UF# 49-979153 RIGHT / PASSENGER'S SIDE, 12" X 2", 6000LB CAP
UF# 49-979154 LEFT / DRIVER'S DIDE, 12" X 2", 7000LB CAP
UF# 48-979155 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP

BULK (MUST BE ORDERED BY SKID)

UF# 48-979110 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979111 RIGHT / PASSENGER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979112 LEFT / DRIVER'S SIDE, 12" X 2", 6000LB CAP
UF# 48-979113 RIGHT / PASSENGER'S SIDE, 12" X 2", 6000LB CAP
UF# 48-979114 LEFT / DRIVER'S DIDE, 12" X 2", 7000LB CAP
UF# 48-979115 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP

SELF-ADJUST BRAKES

BOXED

UF# 48-979250 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979251 RIGHT / PASSENGER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979254 LEFT / DRIVER'S DIDE, 12" X 2", 7000LB CAP
UF# 48-979255 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP

BULK (MUST BE ORDERED BY SKID)

UF# 48-979210 LEFT / DRIVER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979211 RIGHT / PASSENGER'S SIDE, 10" X 2.25", 3500LB CAP
UF# 48-979214 LEFT / DRIVER'S DIDE, 12" X 2", 7000LB CAP
UF# 48-979215 RIGHT / PASSENGER'S SIDE, 12" X 2", 7000LB CAP

**SIMPLY
THE
BEST**



UF # 48-979216 (Left / Driver Side)
 UF # 48-979217 (Right / Passenger Side)
 12-1/4" x 3-3/8" 8,000 lb. Capacity



UF # 48-979218 (Left / Driver Side)
 UF # 48-979219 (Right / Passenger Side)
 12-1/4" x 3-3/8" 10,000 lb. Capacity



UF # 48-979220 (Left / Driver Side)
 UF # 48-979221 (Right / Passenger Side)
 12-1/4" x 4" 10,000 lb. Capacity



UF # 48-979222 (Left / Driver Side)
 UF # 48-979223 (Right / Passenger Side)
 12-1/4" x 5" 12,000 lb. Capacity



UF # 48-979224 (Left / Driver Side)
 UF # 48-979225 (Right / Passenger Side)
 12-1/4" x 5" 15,000 lb. Capacity

Brakes Heavy Duty



- Professionally engineered.
- High grade friction material.
- Pads bonded to shoes for maximum life.
- Corrosion resistant.
- Replaces Dexter, Lippert & Axle Tek



Durable
construction for
maximum life



5-year warranty



Improved
stopping power factory products



Replaces





ultra-fab.com sales@ultra-fab.com 574.294.7571
57985 State Road 19 South, Elkhart, IN 46517

**HELPING
INCREASE
PROFITS AND
CREATE HAPPY
CUSTOMERS.**

